




by System Plast

L E V E L L I N G P A D S

March 2008 • English Version • Issue 15.0





System Plast | **LEVELLING PADS**



Quality and Service

**Your expectation,
our standard.**

Customers expect the best from System Plast; we are committed to delivering nothing less. In every phase of our operation, from engineering, through production to delivery, from pre-sales support to after-sales service, we focus on top quality complying with the stringent standards of ISO 9001.



When you are looking for a quality conveyor component, look at System-Plast.

We place our expertise at your disposal.

Our complete range of products combines stainless steel, carbon steel, aluminium and engineered plastics to achieve reliability, superior performance and compact design.

As one of the world's leading suppliers of conveyor components, System-Plast has a tradition of innovation that dates back to 1985 when we entered into this field.

In the last ten years, System-Plast Components have become the standard of design and performance to a wide range of industries, including conveyor manufacturing, materials handling, power transmission, packaging and many more.

In addition to manufacturing excellence, System-Plast has earned a reputation for outstanding customer service, offering a full range of design, custom fabrication and support services.

We hope you will now take a moment to look through this comprehensive manual. Then, when you are ready to discuss your needs with the nearest System-Plast representative, please consult the back cover of this catalog for further details about our sales network. We are able and eager to assist you set up a smooth functioning facility.

The components you want, when and how you want them.

System-Plast is ready and able to satisfy your needs with quick answers and delivery of standard or custom made products. Our customers around the world know that the shortest distance between a problem and its solution is to call us: innovations, research, engineering and production are always under a strict control to improve our service and products.

Call our engineering experts.

To order the products you have selected, or to get expert advice in choosing the right ones for your application, call System Plast Engineering Department at +39.035.83.51.301, or fax your specifications: +39.035.83.51.406.

We'll be happy to provide the information and advice you need.

And we'll work to ensure prompt processing and delivery of your order.



APPLICATION DRIVEN

Focus on application and improvements have been the driving force behind Research and Development at System Plast, the largest global supplier of Conveyor Components.

The three most important issues in the beverage and packaging industry are EFFICIENCY, NOISE REDUCTION and HYGIENE. The engineering team of System Plast have taken these as a challenge and developed a range of products around it. This is giving System Plast the leading edge in these industries and in this way supporting the users in their corporate programs such as TPM, Total Productive Maintenance.

System Plast is a solid partner for the beverage, food and packaging industry. Not only these state-of-the-art developments are important, but just as well that it has the largest program of conveyor components, chains and belts in the industry.

The network of System Plast companies in Italy, Germany, France, UK, Netherlands, USA, Mexico, Singapore and Brazil, together with the world wide network of exclusive distributors, service the clients - OEM's as well as end-users, including the leading companies in the industry. The people in the field are trained with know-why and know-how and are strongly supported by the engineering team.

LARGEST RANGE

System Plast delivers the largest range of chains, modular belts, components, bearing and feet.


Conveyor Line Massive, versatile range of conveyor parts like supports, clamps, brackets, guides in plastic and stainless steel; easy combinations for many applications.

Bearing Line Flange bearings in many types and shapes. Completely closed type available for wet environments. Grease free versions for ease of maintenance.

Presso Line The largest range of support feet available. The right choice for any application; from food processing to electric cabinets.

Modular Plastic Belts Robust design for easy installation and maintenance. Not only the standard range, but special types for difficult products as well. Special materials for dry running, long life and low noise.

Slat Band Chains Chain is the main factor for efficiency of conveyors. System Plast have a wide range high quality chains in plastic and stainless steel. Special materials for exceptional applications.



Levelling pads

Presso Line has a wide range of fixed and articulated feet to support and secure machinery in all industrial sectors. It is an extremely versatile product line, which always enables the best solution to be chosen in any field of application. The line contains many products consisting of fixed, articulated, non-slip, antivibration, with or without securing holes, in thermoplastic material, zinc plated and stainless steel. The Presso Line is used in all work environments. From the foot to the pharmaceutical-cosmetic industry to the most aggressive environments where corrosive substances are found.

Our range

System Plast offers a selection of levelling pads with threaded spindles ranging from M8 to M30. These products combine two innovative elements: a pad constructed of highly resistant thermoplastic material, and a steel spindle, or a combination of two materials: polyamide with a steel insert.

Pad

The bases of all levelling pad products are available in two different materials: metal or thermoplastic. Metal bases are either zinc plated or stainless steel and have higher load capacities. Polyamide bases reinforced with fiberglass guarantee constant application and thermal stability.

Spindle

The spindles of all levelling pad products are available in different materials: Stainless steel for total protection against severe environments, zinc plated steel for economical corrosion resistance. Both demonstrate high load capacities. The polyamide version with the steel insert are for applications without corrosive agents and high load capacities. Nickel plated brass spindles are used for applications where moderate corrosion resistance and load capacities are present.



The Eco Line range of levelers are suitable for light and medium duty applications. The new design of these levelers, based on the latest manufacturing technologies, is meant to offer economic advantages.

[Pages 6 - 12](#)

Upon request and for suitable quantities, all feet on this page can be modified to meet different specifications, i.e. we can modify spindle length, spindle thread to meet specific requirements.



Sanistar levelers, designed especially for those applications where hygiene is important are severe, are made from AISI 304 stainless steel with polished surface for easy cleaning. The vulcanized rubber element offers anti-slip characteristics and absorbs vibrations.

[Pages 14 - 18](#)

Upon request and for suitable quantities, all feet on this page can be modified to meet different specifications, i.e. we can modify spindle length, spindle thread to meet specific requirements.



The traditional Presso Line product range of levelers is available in a wide range of types, dimensions and materials. These levelers are suitable to a wide range of applications, varying from pharmaceutical industry with its severe sanitary conditions to the wood and metal machining industry, where high loads are present.

[Pages 20 - 53](#)

Other products for supporting machinery and accessories



Levelers with fixed spindles

[Pages 54 - 55](#)



Levelers for fixing to floor

[Pages 56 - 59](#)



Metal base levelers

[Pages 60 - 65](#)



Loose base

[Pages 70](#)




Thread Busing



[Pages 68 - 69](#)

General information

Chemical resistance tables	Pages 72 - 73
Index	Pages 76 - 82
Select your pads	Pages 74

Smart
Choice

SPINDLE, NUT AND WASHER
INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated


TECHNICAL INFORMATION
Material:
 Base in reinforced polyamide.

SPINDLE TYPE

ACCESSORIES

ANTI-SLIP PAD
Code: 171308

Material
Anti-slip: rubber, 70 shore hardness.
Packaging: 25 pieces.


Code FE.ZN.	Code INOX	Nuts		
		M		S
171330	171331	8	13	6.5
171332	171333	10	17	8
171334	171335	12	19	10
171336	171337	14	22	11

Nuts: UNI 5588-65

Packaging: 25 pieces


Code FE.ZN.	Code INOX	Washers		
		Ø d.	Ø D	S
171350	171351	8.5	19	1.75
171352	171353	10.5	21	2
171354	171355	13	24	2.5
171356	171357	15	28	2.5

Washer: UNI 6592-69

Packaging: 25 pieces



Preferred type, readily available (codes marked in red)

Code			Spindle			M	L mm	L ₂ mm	
Assembled	Base	Spindle	Type	Material					
176000	821569	831446	15D	FE.ZN	5	8	60	40	10000
176001		831448					85	65	
176002		831450			7	10	65	45	
176003		831452					90	70	
176004		831454					115	95	
176005	821570	831458	15E		9	12	90	70	12000
176006		831460					110	90	
176007		831462					130	110	
176008		831464			150	130			
176009		831466			100	80			
176010		831468	125		105				
176011		831456	150		130				
176050	811569	831445	15D	INOX	5	8	60	40	10000
176051		831447					85	65	
176052		831449			7	10	65	45	
176053		831451					90	70	
176054		831453					115	95	
176055	821570	831457	15E		9	12	90	70	12000
176056		831459					110	90	
176057		831461					130	110	
176058		831463			150	130			
176059		831465			100	80			
176060		831467	125		105				
176061		831455	150		130				

 General tolerance on total height $L \pm 2$ mm



Smart
Choice




SPINDLE, NUT AND WASHER

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated


TECHNICAL INFORMATION

Material:
Base in reinforced polyamide.

SPINDLE TYPE



ACCESSORIES



ANTI-SLIP PAD

Code: 171309




Material
Anti-slip: rubber, 70 shore hardness.
Packaging: 25 pieces.

Code FE.ZN.	Code INOX	Nuts		
		M		S
171330	171331	8	13	6.5
171332	171333	10	17	8
171334	171335	12	19	10
171336	171337	14	22	11

Nuts: UNI 5588-65


Packaging: 25 pieces



Code FE.ZN.	Code INOX	Washers		
		Ø d.	Ø D	S
171350	171351	8.5	19	1.75
171352	171353	10.5	21	2
171354	171355	13	24	2.5
171356	171357	15	28	2.5

Washer: UNI 6592-69

Packaging: 25 pieces




Preferred type, readily available (codes marked in red)

Code			Spindle			M	L mm	L ₂ mm	
Assembled	Base	Spindle	Type	Material					
176100	821571	831446	15D	FE.ZN	5	8	65	40	10000
176101		831448					90	65	
176102		831450			70	45			
176103		831452			95	70			
176104		831454			120	95			
176105	821572	831458	15E		9	12	90	70	12000
176106		831460					110	90	
176107		831462					130	110	
176108		831464					150	130	
176109		831466			100	80	14000		
176110		831468			125	105			
176111		831456			150	130			
176150	821571	831445	15D	INOX	5	8	65	40	10000
176151		831447					90	65	
176152		831449			70	45			
176153		831451			95	70			
176154		831453			120	95			
176155	821572	831457	15E		9	12	90	70	12000
176156		831459					110	90	
176157		831461					130	110	
176158		831463					150	130	
176159		831465			100	80	14000		
176160		831467			125	105			
176161		831455			150	130			

General tolerance on total height L ± 2 mm



**Smart
Choice**



**ECO
LINE**
by SYSTEM PLAST


SPINDLE, NUT AND WASHER

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated


TECHNICAL INFORMATION

Material:
Base in reinforced polyamide.

SPINDLE TYPE



ACCESSORIES



ANTI-SLIP PAD

Code: 171310



Material


Anti-slip: rubber, 70 shore hardness.

Packaging: 25 pieces.

Code FE.ZN.	Code INOX	Nuts		
		M		S
171334	171335	12	19	10
171336	171337	14	22	11
171338	171339	16	24	13
171340	171341	20	30	16

Nuts: UNI 5588-65


Packaging: 25 pieces



Code FE.ZN.	Code INOX	Washers		
		Ø d.	Ø D	S
171354	171355	13	24	2.5
171356	171357	15	28	2.5
171358	171359	17	30	3
171360	171361	21	37	3

Washer: UNI 6592-69

Packaging: 25 pieces




Preferred type, readily available (codes marked in red)

Code			Spindle			M	L mm	L ₂ mm	
Assembled	Base	Spindle	Type	Material					
176200	821573	831458	15E	FE.ZN	9	12	95	70	12000
176201		831460					115	90	
176202		831462					135	110	
176203		831464					155	130	
176204		831466			105	80	14000		
176205		831468			130	105			
176206		831456			155	130			
176207	821574	831470	15A		13	16	95	70	15000
176208		831472					145	120	
176209		831474					185	160	
176210		831476					205	180	
176211		831478			16	20	105	80	16000
176212		831480					140	110	
176213		831482					185	155	
176214		831484					215	185	
176250	821573	831457	15E	INOX	9	12	95	70	12000
176251		831459					115	90	
176252		831461					135	110	
176253		831463					155	130	
176254		831465			11	14	105	80	14000
176255		831467					130	105	
176256		831455					155	130	
176257	821574	831469	15A		13	16	95	70	15000
176258		831471					145	120	
176259		831473					185	160	
176260		831475					205	180	
176261		831477			16	20	105	80	16000
176262		831479					140	110	
176263		831481					185	155	
176264		831483					215	185	

General tolerance on total height L $\pm$ 2 mm



**Smart
Choice**



**ECO
LINE**
by SYSTEM PLAST

SPINDLE, NUT AND WASHER

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated

TECHNICAL INFORMATION

Material:

Base in reinforced polyamide.

Characteristics:

The foot can be fixed to the floor by opening the signs marked on the base.

ACCESSORIES

Code FE.ZN.	Code INOX	Nuts		
		M		S
171330	171331	8	13	6.5
171332	171333	10	17	8
171334	171335	12	19	10
171336	171337	14	22	11
171338	171339	16	24	13
171340	171341	20	30	16



Nuts: UNI 5588-65

Packaging: 25 pieces



Code FE.ZN.	Code INOX	Washers		
		Ø d.	Ø D	S
171350	171351	8.5	19	1.75
171352	171353	10.5	21	2
171354	171355	13	24	2.5
171356	171357	15	28	2.5
171358	171359	17	30	3
171360	171361	21	37	3

Washer: UNI 6592-69

Packaging: 25 pieces



SPINDLE TYPE



ANTI-SLIP PAD

Code: 171312



Material

Anti-slip: rubber, 70 shore hardness.

Packaging: 25 pieces.



Preferred type, readily available (codes marked in red)

Code			Spindle			M	L mm	L ₂ mm	
Assembled	Base	Spindle	Type	Material					
176300	821585C	831446	15D	FE.ZN	5	8	65	40	10000
176301		831448					90	65	
176302		831450			70	45			
176303		831452			95	70			
176304		831454			120	95			
176305	821575C	831458	15E		9	12	95	70	13000
176306		831460					115	90	
176307		831462			135	110			
176308		831464			155	130			
176309		831466			105	80			
176310	821576C	831468	15A		11	14	130	105	14000
176311		831456					155	130	
176312		831470			95	70			
176313		831472			145	120			
176314		831474			185	160			
176315	821576C	831476	15A		13	16	205	180	15000
176316		831478					105	80	
176317		831480			140	115			
176318		831482			185	160			
176319		831484			215	190			
176350	821585C	831445	15D	INOX	5	8	65	40	10000
176351		831447					90	65	
176352		831449			70	45			
176353		831451			95	70			
176354		831453			120	95			
176355	821575C	831457	15E		9	12	95	70	13000
176356		831459					115	90	
176357		831461			135	110			
176358		831463			155	130			
176359		831465			105	80			
176360	821576C	831467	15A		11	14	130	105	14000
176361		831455					155	130	
176362		831469			95	70			
176363		831471			145	120			
176364		831473			185	160			
176365	821576C	831475	15A		13	16	205	180	15000
176366		831477					105	80	
176367		831479			140	115			
176368		831481			185	160			
176369		831483			215	190			
					16	20	140	115	18000
							185	160	
							215	190	

General tolerance on total height L ± 2 mm



SPINDLE TYPE



ANTI-SLIP PAD


Code: 171314



Material

Anti-slip: rubber, 70 shore hardness.

Packaging: 25 pieces.



SPINDLE, NUT AND WASHER

INOX Stainless Steel Aisi 304

FE.ZN Zinc Plated

TECHNICAL INFORMATION

Material:

Base in reinforced polyamide.

Characteristics:

The foot can be fixed to the floor by opening the signs marked on the base.


Packaging: 25 pieces.

ACCESSORIES

Code FE.ZN.	Code INOX	Nuts		
		M		S
171338	171339	16	24	13
171340	171341	20	30	16
171342	171343	24	36	19

Nuts: UNI 5588-65


Packaging: 25 pieces



Code FE.ZN.	Code INOX	Washers		
		Ø d.	Ø D	S
171358	171359	17	30	3
171360	171361	21	37	3
171362	171363	25	44	4

Washer: UNI 6592-69

Packaging: 25 pieces



Preferred type, readily available (codes marked in red)

Code			Spindle			M	L	L ₂	
Assembled	Base	Spindle	Type	Material			mm	mm	
176400	821577C	831470	15A	FE.ZN	13	16	100	70	18000
176401		831472					150	120	
176402		831474					190	160	
176403		831476					210	180	
176404		831478			16	20	110	80	20000
176405		831480					145	115	
176406		831482					190	160	
176407		831484					220	190	
176408	821578C	831486	15B	19	24	125	95		
176409		831488				155	125		
176410		831490				195	165		
176450	821577C	831469	15A	INOX	13	16	100	70	
176451		831471					150	120	
176452		831473					190	160	
176453		831475					210	180	
176454		831477			16	20	110	80	20000
176455		831479					145	115	
176456		831481					190	160	
176457		831483					220	190	
176458	821578C	831485	15B		19	24	125	95	
176459		831487					155	125	
176460		831489					195	165	

General tolerance on total height $L \pm 2$ mm


NEW



SPINDLE TYPE



Type
16



ANTI-SLIP PAD


Code: 171314



Material

Anti-slip: rubber, 70 shore hardness.

Packaging: 25 pieces.



SPINDLE, NUT AND WASHER

INOX Stainless Steel AISI 304

FE.ZN Zinc Plated

TECHNICAL INFORMATION

Material:

Base reinforced polyamide.

Characteristics:

The foot can be fixed to the floor by opening the signs marked on the base.

Packaging: 25 pieces.

ACCESSORIES

Code FE.ZN.	Code INOX	Nuts		
		M		S
171338	171339	16	24	13
171340	171341	20	30	16
171342	171343	24	36	19



Nuts: UNI 5588-65

Packaging: 25 pieces

Code FE.ZN.	Code INOX	Washers		
		Ø d.	Ø D	S
171358	171359	17	30	3
171360	171361	21	37	3
171362	171363	25	44	4

Washer: UNI 6592-69

Packaging: 25 pieces



Preferred type, readily available (codes marked in red)

Code			Spindle			M	L mm	L ₂ mm	
Assembled	Base	Spindle	Type	Material					
175219	821755	831821	16	FE.ZN	13	16	98	58	12000
175220		831822					159	119	
175221		831823					185	145	
175222		831824					241	201	
175223		831825					150	110	
175224		831826			17	20	178	138	
175225		831827					200	160	
175226		831828					136	95	
175227		831829			19	24	173	132	
175228		831830					208	167	
175229		831831		INOX	13	16	98	58	12000
175230		831832					159	119	
175231		831833					185	145	
175232		831834					241	201	
175233		831835			17	20	150	110	
175234		831836					178	138	
175235		831837					200	160	
175236		831838			19	24	136	95	
175237		831839					173	132	
175238		831840					208	167	

General tolerance on total height L ± 2 mm



SPINDLE, NUT AND WASHER

INOX Stainless Steel Aisi 304

FE.ZN Zinc Plated

TECHNICAL INFORMATION


Material:

Base reinforced in polyamide.



Characteristics:

The foot can be fixed to the floor by opening the signs marked on the base.

Packaging: 25 pieces.



SPINDLE TYPE




ACCESSORIES

Code FE.ZN.	Code INOX	Nuts		
		M		S
171338	171339	16	24	13
171340	171341	20	30	16
171342	171343	24	36	19

Nuts: UNI 5588-65

Packaging: 25 pieces



ANTI-SLIP PAD

Code: 171326



Material


Anti-slip: rubber, 70 shore hardness.

Packaging: 25 pieces.

Code FE.ZN.	Code INOX	Washers		
		Ø d.	Ø D	S
171358	171359	17	30	3
171360	171361	21	37	3
171362	171363	25	44	4

Washer: UNI 6592-69

Packaging: 25 pieces



Preferred type, readily available (codes marked in red)

Code			Spindle			M	L mm	L ₂ mm	
Assembled	Base	Spindle	Type	Material					
176500	821579C	831470	15A	FE.ZN	13	16	100	70	18000
176501		831472					150	120	
176502		831474					190	160	
176503		831476					210	180	
176504		831478			110	80	20000		
176505		831480			145	115			
176506		831482			190	160			
176507		831484			220	190			
176508	821580C	831486	19		24	125		95	
176509		831488				155		125	
176510		831490				195		165	
176550	821579C	831469		15A		INOX	13	16	100
176551		831471	150		120				
176552		831473	190		160				
176553		831475	210		180				
176554		831477	110		80		20000		
176555		831479	145		115				
176556		831481	190		160				
176557		831483	220		190				
176558	821580C	831485	19	24	125			95	
176559		831487			155			125	
176560		831489			195			165	

General tolerance on total height L + 2 mm

Spindle is mounted, flexible
into the base, so mis-alignment
of max 4° can be absorbed


Stainless steel components,
AISI 304 (DIN 14.301) for high
chemical resistance

Polished surface of base
plate for easy cleaning
and low risk of dirt built-up

Chemical resistant rubber,
hardness 70 Shore,
vulcanized into the base.
Anti-slip function,
high vibration absorption.
Solid rubber element to avoid
foreign substances to
enter the base.

USDA approved design

Special eye-plate
for fixing to the floor






TECHNICAL INFORMATION

Material base, spindle and washer in:
INOX Stainless Steel Aisi 304

Rubber: 70 shore hardness.

Packaging: 15 pieces.

Preferred type, readily available
(codes marked in red)



D.50

Code			ØD	M		L mm	L2 mm	H	
Assembled	Spindle only	Pad & Washer							
177000	831591	831585 (Pad)	50	10	7	75	53	21	3000
177001	831592					100	78		
177002	831593					125	103		
177003	831594	171351 (Washer)		12	9	95	78		
177004	831595					115	98		
177005	831596					135	118		
177006	831597	831585 (Pad)		14	11	105	88		
177007	831598					130	113		
177008	831599					155	138		
177009	831600	171370 (Washer)		16	13	100	78		
177010	831601					140	118		
177011	831602					190	168		
177012	831603					210	188		
177013	831604								

General tolerance on total height $L \pm 2$ mm

D.75

Code			ØD	M		L mm	L2 mm	H	
Assembled	Spindle only	Pad & Washer							
177050	831591	831586 (Pad)	75	10	7	75	53	23	8000
177051	831592					100	78		
177052	831593					125	103		
177053	831594	171351 (Washer)		12	9	100	78		
177054	831595					120	98		
177055	831596					140	118		
177056	831597	831586 (Pad)		14	11	160	138		
177057	831598					110	88		
177058	831599					135	113		
177059	831600	171370 (Washer)		16	13	160	138		
177060	831601					100	78		
177061	831602					140	118		
177062	831603	190				168			
177063	831604	210				188			

General tolerance on total height $L \pm 2$ mm

D.100

Code			ØD	M		L mm	L2 mm	H	
Assembled	Spindle only	Pad & Washer							
177100	831598	831587 (Pad)	100	14	11	115	88	30	20000
177101	831599					140	113		
177102	831600					165	138		
177103	831601	171370 (Washer)		16	13	105	78		
177104	831602					145	118		
177105	831603					195	168		
177106	831604	831587 (Pad)		20	16	215	188		
177107	831605S					120	88		
177108	831606S					155	123		
177109	831607S	171370 (Washer)		24	19	200	168		
177110	831608S					230	198		
177111	831609S					135	103		
177112	831610S					165	133		
177113	831611S					205	173		

General tolerance on total height $L \pm 2$ mm

D.125

Code			ØD	M		L mm	L2 mm	H	
Assembled	Spindle only	Pad & Washer							
177150	831598	831589 (Pad)	125	14	11	120	88	32	30000
177151	831599					145	113		
177152	831600					170	138		
177153	831601	171370 (Washer)		16	13	110	78		
177154	831602					150	118		
177155	831603					200	168		
177156	831604	831589 (Pad)		20	16	220	188		
177157	831605S					120	88		
177158	831606S					155	123		
177159	831607S	171370 (Washer)		24	19	200	168		
177160	831608S					230	198		
177161	831609S					135	103		
177162	831610S	165				133			
177163	831611S	205				173			


General tolerance on total height $L \pm 2$ mm

ACCESSORIES

Code	NUTS		
	M		S
171333	10	17	8
171335	12	19	10
171337	14	22	11
171339	16	24	13
171341	20	30	16
171343	24	36	19

Nuts: UNI 5588-65

Packaging: 15 pieces




ACCESSORIES

Code	WASHERS		
	Ød	ØD	S
171351	8.5	17	1.75
171353	10.5	21	2
171355	13	24	2.5
171357	15	28	2.5
171359	17	30	3
171361	21	37	3
171363	25	44	4

Washer: UNI 6592-69

Packaging: 15 pieces



Upon request and for suitable quantities, all feet on this page can be modified to meet different specifications, i.e. we can modify spindle length, spindle thread to meet specific requirements.




TECHNICAL INFORMATION

Material base, spindle and washer in:
INOX Stainless Steel Aisi 304

Rubber: 70 shore hardness.

Packaging: 15 pieces.

Preferred type, readily available
(codes marked in red)



D.75

Code			ØD	M	 mm	L mm	L2 mm	I mm	H mm	
Assembled	Spindle only	Pad & Washer								
177200	831591	831612 (Pad)	75	10	7	75	53	52.5	23	8000
177201	831592					100	78			
177202	831593					125	103			
177203	831594	100		78						
177204	831595	120		98						
177205	831596	140		118						
177206	831597	160		138						
177207	831598	110		88						
177208	831599	135		113						
177209	831600	160		138						
177210	831601	100		78						
177211	831602	140		118						
177212	831603	190		168						
177213	831604	210		188						

General tolerance on total height $L \pm 2$ mm

D.100

Code			ØD	M	 mm	L mm	L2 mm	I mm	H mm	
Assembled	Spindle only	Pad & Washer								
177250	831598	831613 (Pad)	100	14	11	115	88	65	30	20000
177251	831599					140	113			
177252	831600					165	138			
177253	831601	171370 (Washer)		16	13	105	78			
177254	831602					145	118			
177255	831603					195	168			
177256	831604	831613 (Pad)		20	16	215	188			
177257	831605S					120	88			
177258	831606S					155	123			
177259	831607S	171370 (Washer)		24	19	200	168			
177260	831608S					230	198			
177261	831609S					135	103			
177262	831610S	165				133				
177263	831611S	205				173				


General tolerance on total height $L \pm 2$ mm

ACCESSORIES

Code	NUTS		
	M		S
171333	10	17	8
171335	12	19	10
171337	14	22	11
171339	16	24	13
171341	20	30	16
171343	24	36	19

Nuts: UNI 5588-65

Packaging: 15 pieces




ACCESSORIES

Code	WASHERS		
	Ød	ØD	S
171351	8.5	17	1.75
171353	10.5	21	2
171355	13	24	2.5
171357	15	28	2.5
171359	17	30	3
171361	21	37	3
171363	25	44	4

Washer: UNI 6592-69

Packaging: 15 pieces



Upon request and for suitable quantities, all feet on this page can be modified to meet different specifications, i.e. we can modify spindle length, spindle thread to meet specific requirements.




TECHNICAL INFORMATION

Material base, spindle and washer in:
INOX Stainless Steel Aisi 304

Rubber: 70 shore hardness.

Packaging: 15 pieces.

Preferred type, readily available
(codes marked in red)



D.75

Code				ØD	M	 1 mm	L mm	L1 mm	L2 mm	H mm	B mm	 2 mm	
Assembled	Spindle only	Bushing only	Pad & Washer										
177300	831615	831621	831586 (Pad)	75	16	13	185	160	110	23	55	19	8000
177301	831616	831622					235	210	130		85		
177302	831617	831623	171370 (Washer)		20	16	185	160	110		55	24	
177303	831618	831624					235	210	130		85		
177304	831619	831625	171370 (Washer)		24	19	185	160	110		55	27	
177305	831620	831626					235	210	130		85		

General tolerance on total height $L \pm 2$ mm

D.100

Code				ØD	M	 1 mm	L mm	L1 mm	L2 mm	H mm	B mm	 2 mm	 N
Assembled	Spindle only	Bushing only	Pad & Washer										
177310	831615	831621	831587 (Pad)	100	16	13	190	160	110	30	55	19	20000
177311	831616	831622					240	210	130		85		
177312	831617	831623					190	160	110		55	24	
177313	831618	831624	240		210	130	85						
177314	831619	831625	171370 (Washer)		24	19	190	160	110		55	27	
177315	831620	831626					240	210	130		85		

General tolerance on total height $L \pm 2$ mm

D.125

Code				ØD	M	 1 mm	L mm	L1 mm	L2 mm	H mm	B mm	 2 mm	
Assembled	Spindle only	Bushing only	Pad & Washer										
177320	831615	831621	831589 (Pad)	125	M16	13	195	160	110	32	55	19	30000
177321	831616	831622					245	210	130		85		
177322	831617	831623			171370 (Washer)	M20	16	195	160		110	55	
177323	831618	831624	245					210	130		85		
177324	831619	831625			M24	19	195	160	110		55	27	
177325	831620	831626					245	210	130		85		


General tolerance on total height $L \pm 2$ mm

ACCESSORIES

Code	NUTS		
	M	1 mm	S
171339	16	24	13
171341	20	30	16
171343	24	36	19

Nuts: UNI 5588-65

Packaging: 15 pieces




ACCESSORIES

Code	WASHERS		
	Ød	ØD	S
171359	17	30	3
171361	21	37	3
171363	25	44	4

Washer: UNI 6592-69

Packaging: 15 pieces



Upon request and for suitable quantities, all feet on this page can be modified to meet different specifications, i.e. we can modify spindle length, spindle thread to meet specific requirements.


TECHNICAL INFORMATION


Material base, spindle and washer in:

INOX Stainless Steel Aisi 304

Rubber: 70 shore hardness.

Packaging: 15 pieces.

 **Preferred type, readily available**
(codes marked in red)


D.75

Code				ØD	M	 1 mm	L mm	L1 mm	L2 mm	I mm	H mm	B mm	 2 mm	
Assembled	Spindle only	Bushing only	Pad & Washer											
177350	831615	831621	831612 (Pad)	75	16	13	185	160	110	52.5	23	55	19	8000
177351	831616	831622					235	210	130			85		
177352	831617	831623	171370 (Washer)		20	16	185	160	110			55	24	
177353	831618	831624					235	210	130			85		
177354	831619	831625			24	19	185	160	110			55	27	
177355	831620	831626					235	210	130			85		

General tolerance on total height $L \pm 2$ mm

D.100

Code				ØD	M	 1 mm	L mm	L1 mm	L2 mm	I mm	H mm	B mm	 2 mm	
Assembled	Spindle only	Bushing only	Pad & Washer											
177360	831615	831621	831613 (Pad)	100	16	13	190	160	110	65	30	55	19	20000
177361	831616	831622					240	210	130			85		
177362	831617	831623	171370 (Washer)		20	16	190	160	110			55	24	
177363	831618	831624					240	210	130			85		
177364	831619	831625			24	19	190	160	110			55	27	
177365	831620	831626					240	210	130			85		


General tolerance on total height $L \pm 2$ mm

ACCESSORIES

Code	NUTS		
	M	1	S
171339	16	24	13
171341	20	30	16
171343	24	36	19

Nuts: UNI 5588-65


Packaging: 15 pieces


ACCESSORIES

Code	WASHERS		
	Ød	ØD	S
171359	17	30	3
171361	21	37	3
171363	25	44	4




Washer: UNI 6592-69

Packaging: 15 pieces



Upon request and for suitable quantities, all feet on this page can be modified to meet different specifications, i.e. we can modify spindle length, spindle thread to meet specific requirements.


WELDING PLATES




TECHNICAL INFORMATION

Material:
INOX *Stainless Steel Aisi 304.*

Code	M	A mm	A1 mm	S mm
14851	12	40	40	3
14852	16			
14853	20			
14854	16	50	50	3
14855	20			4



ARTICULATED FEET

**SPINDLE MATERIAL****INOX** Stainless Steel Aisi 304**FE.ZN** Zinc Plated**OT.NI** Nickel Plated Brass


● Without Nut

code standard: Without Rubber**code anti-slip:** With Rubber**TECHNICAL INFORMATION****Material:**

Base in reinforced polyamide.

Threaded spindle as in the table.


Anti-slip version with oil resistant rubber, 70 shore hardness.

SPINDLE TYPE**ANTI-SLIP PAD****Code: 171308**

Preferred type, readily available (codes marked in red)

* This product was modified recently. A version with hexagonal spindle is still available on request for adequate quantities.

Code				Spindle		Material nut	D mm		M	L mm	L ₁ mm	L ₂ mm	
Standard Assembled	Anti-slip Assembled	Base	Spindle	Type	Material								
170419	170421	82379	83020	11A	OT.NI	●	35	13	16	109	112	74	10000
170420	170422		83021							149	152	114	
17723	17724	82379	83113	2A	FE.ZN	●	28	14	8	71	74	43	12000
17725	17726		83115							93	96	65	
17925	17926		83241						10	71	74	43	
17083	17117		83010							99	102	71	
17727	17728		83111						12	153	156	125	
17927	17928		83259							71	74	43	
17086	17120		83011							99	102	71	
17101	17124		83012							153	156	125	
17126	17132		83013						14	99	102	71	
17127	17133		83014							153	156	125	
17128	17134		82310	1A			36	18		198	201	162	7000
17129*	17135*	82379S	831470*	15A*			30	13	16	99	102	69	12000
17130*	17136*		831472*							149	152	119	
17131*	17137*		831474*							189	192	159	
17729	17730	82379	83112	2A	INOX	●	28	14	8	71	74	43	12000
17731	17732		83114							93	96	65	
17929	17930		83260						10	71	74	43	
17082	17116		83004							99	102	71	
17733	17734		83110						12	153	156	125	
17931	17932		83261							71	74	43	
17085	17119		83005							99	102	71	
17102	17125		83006							153	156	125	
17138	17144		83007						14	99	102	71	
17139	17145		83008							153	156	125	
17140	17146		82311	1A			36	18		198	201	162	7000
17141*	17147*	82379S	831469*	15A*			30	13	16	99	102	69	12000
17142*	17148*		831471*							149	152	119	
17143*	17149*		831473*							189	192	159	



SPINDLE MATERIAL


INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated
OT.NI Nickel Plated Brass
 ● Without Nut

code standard: Without Rubber
code anti-slip: With Rubber

TECHNICAL INFORMATION

Material:
 Base in reinforced polyamide.
 Threaded spindle as in the table.
 Anti-slip version with oil resistant rubber, 70 shore hardness.

SPINDLE TYPE



ANTI-SLIP PAD



Code: 171309

Preferred type, readily available (codes marked in red)

* This product was modified recently. A version with hexagonal spindle is still available on request for adequate quantities.

Code				Spindle		Material	D		M	L	L ₁	L ₂	
Standard Assembled	Anti-slip Assembled	Base	Spindle	Type	Material	nut	mm			mm	mm	mm	
170423	170425	82377	83020	11A	OT.NI	●	35	13	16	109	112	74	10000
170424	170426		83021							149	152	114	
17735	17736	82377	83113	2A	FE.ZN	●	28	14	8	71	74	43	12000
17737	17738		83115							93	96	65	
17917	17918		83241							71	74	43	
17088	17103		83010						10	99	102	71	
17739	17740		83111							153	156	125	
17919	17920		83259						12	71	74	43	
17091	17106		83011							99	102	71	
17094	17109		83012							153	156	125	
17162	17165		83013						14	99	102	71	
17163	17166		83014							153	156	125	
17164	17167		82310	1A			36	18		198	201	162	7000
17096*	17111*	82377S	831470*	15A*			30	13	16	99	102	69	12000
17099*	17114*		831472*							149	152	119	
17168*	17169*		831474*							189	192	159	
17741	17742	82377	83112	2A	INOX	●	28	14	8	71	74	43	12000
17743	17744		83114							93	96	65	
17921	17922		83260							71	74	43	
17089	17104		83004						10	99	102	71	
17745	17746		83110							153	156	125	
17923	17924		83261						12	71	74	43	
17092	17107		83005							99	102	71	
17095	17110		83006							153	156	125	
17170	17174		83007						14	99	102	71	
17171	17175		83008							153	156	125	
17172	17176		82311	1A			36	18		198	201	162	7000
17097*	17112*	82377S	831469*	15A*			30	13	16	99	102	69	12000
17100*	17115*		831471*							149	152	119	
17173*	17177*		831473*							189	192	159	

**SPINDLE MATERIAL**

INOX *Stainless Steel Aisi 304*
FE.ZN *Zinc Plated*
OT.NI *Nickel Plated Brass*
PA.FE *Polyamide with Steel Insert*
 ● *Without Nut*



code standard: *Without Rubber*
code anti-slip: *With Rubber*

TECHNICAL INFORMATION**Material:**

Base in reinforced polyamide.
 Threaded spindle as in the table.
 Anti-slip version with oil resistant rubber, 70 shore hardness.

ANTI-SLIP PAD

Code: 171310


**SPINDLE TYPE**

Code				Spindle		Material nut	D mm		M	L mm	L ₁ mm	L ₂ mm				
Standard Assembled	Anti-slip Assembled	Base	Spindle	Type	Material											
17261	17265	82168	82274	1C	FE.ZN	FE.ZN	42	24	12	107	110	65	12000			
17263	17267		82275							157	160	115				
17186	17192		82312							202	205	160				
17187	17193		82313						14	107	110	65				
17188	17194		82314							157	160	115				
17189	17195		82315							202	205	160				
17518	17522		82276						16	107	110	65				
17304	17305		82277							157	160	115				
17190	17196		82278							202	205	160				
17447	17449		82280						20	157	160	115				
17002	17004		82281							202	205	160				
17271	17275		82283			•	49	30	24	159	162	110				
17273	17277		82284							202	205	153				
17262	17266	82168	82262	1C	INOX	INOX	42	24	12	107	110	65	12000			
17264	17268		82263							157	160	115				
17278	17285		82316							202	205	160				
17279	17286		82317						14	107	110	65				
17280	17287		82318							157	160	115				
17281	17288		82319							202	205	160				
17519	17523		82264						16	107	110	65				
17524	17525		82265							157	160	115				
17282	17289		82266							202	205	160				
17448	17450		82268						20	157	160	115				
17001	17003		82269							202	205	160				
17270	17274		82271			•	49	30	24	159	162	110				
17272	17276		82272							202	205	153				
17514	17714	82168	82193	3C	PA.FE	FE.ZN	42	24	16	104	107	62	4000			
17515	17715		82193			INOX				104	107	62				
17899	17916		82454			•	52	30	20	126	129	74				
17371	17372		82247							179	182	127				
171030	171038	821122	83977	2B	FE.ZN	•	34	20	16	94	97	60	15000			
171031	171039		83978							149	152	115				
171032	171040		83979							179	182	145				
171033	171041		83980						20	229	232	195				
171034	171042		83981							119	122	85				
171035	171043		83982							149	152	115				
171036	171044		83983							179	182	145				
171037	171045		83984							229	232	195				
171046	171054	821122	83969	2B	INOX	•	34	20	16	94	97	60	15000			
171047	171055		83970							149	152	115				
171048	171056		83971							179	182	145				
171049	171057		83972							229	232	195				
171050	171058		83973						20	119	122	85				
171051	171059		83974							149	152	115				
171052	171060		83975							179	182	145				
171053	171061		83976							229	232	195				
17516	17716	82168	83022	11C	OT.NI	FE.ZN	41	20	16	98	101	57	12000			
17300	17302		83023			156				159	115					
17875	17876		83024			186				189	145					
17517	17722		83022			98				101	57					
17301	17303		83023			156				159	115					
17877	17878		83024			186				189	145					
17005	17006		83003	12C					20	156	159	115				
17007	17008		83025							186	189	145				
17009	17010		83026	•		22		24	156	159	115					
17011	17012		83027						186	189	145					
17774	17775	82168	83252	2C	FE.ZN	FE.ZN	41	24	16	98	101	57	15000			
17776	17777		83253							156	159	115				
17778	17779		83254							186	189	145				
17879	17937		83368							236	239	195				
17780	17781		83255						20	126	129	85				
17490	17494		83161			•				156	159	115				
17491	17495		83162							186	189	145				
17191	17197		82282							236	239	195				
17888	17889		83256			•		24		126	129	85				
17890	17891		83257							156	159	115				
17892	17893		83258							186	189	145				
17198	17199		83370							236	239	195				
17766	17767	82168	83244	2C	INOX	INOX	41	24	16	98	101	57	15000			
17768	17769		83245							156	159	115				
17770	17771		83246							186	189	145				
17851	17852		83365							236	239	195				
17772	17773		83247						20	126	129	85				
17488	17492		83159			•				156	159	115				
17489	17493		83160							186	189	145				
17283	17290		83366							236	239	195				
17866	17867		83249			•		24		126	129	85				
17868	17869		83250							156	159	115				
17873	17874		83251							186	189	145				
17284	17291		83367							236	239	195				

 Preferred type, readily available (codes marked in red)

SINGLE LAG HOLE PAD

ARTICULATED FOOT



SPINDLE MATERIAL

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated
OT.NI Nickel Plated Brass
PA.FE Polyamide with Steel Insert
 ● Without Nut

code standard: Without Rubber
code anti-slip: With Rubber

TECHNICAL INFORMATION

Material:
 Base in reinforced polyamide.
 Threaded spindle as in the table.
 Anti-slip version with oil resistant rubber, 70 shore hardness.

Characteristics:
 The foot can be fixed to the floor.


ANTI-SLIP PAD



Code: 171311


* This product was modified recently.
 A version with hexagonal spindle is still available on request for adequate quantities.

SPINDLE TYPE




Code				Spindle		Material nut	D mm		M	L mm	L ₁ mm	L ₂ mm	
Standard Assembled	Anti-slip Assembled	Base	Spindle	Type	Material								
170959	170961	82968	83020	11A	OT.NI	INOX	39	13	16	113	116	74	12000
170960	170962		83021							153	156	114	
170963	170979		83113						8	75	78	43	
170964	170980		83115							97	100	65	
170965	170981		83241						10	75	78	43	
170966	170982		83010							103	106	71	
170967	170983		83111							157	160	125	
170968	170984	82968	83259	2A			32	14		75	78	43	
170969	170985		83011						12	103	106	71	
170970	170986		83012							157	160	125	
170971	170987		83013							103	106	71	
170972	170988		83014						14	157	160	125	
170973	170989		82310	1A			40	18		202	205	162	8000
170974*	170990*		831470*							103	106	69	
170975*	170991*		831472*				34	13	16	153	156	119	
170976*	170992*	82968S	831474*	15A*						193	196	159	
170977*	170993*		831480*			●	35	16	20	148	151	113	
170978*	170994*		831482*							193	196	158	
170995	171011		83112						8	75	78	43	
170996	171012		83114							97	100	65	
170997	171013		83260							75	78	43	
170998	171014		83004						10	103	106	71	
170999	171015		83110							157	160	125	
171000	171016	82968	83261	2A			32	14		75	78	43	
171001	171017		83005						12	103	106	71	
171002	171018		83006							157	160	125	
171003	171019		83007							103	106	71	
171004	171020		83008						14	157	160	125	
171005	171021		82311	1A			40	18		202	205	162	8000
171006*	171022*		831469*							103	106	69	
171007*	171023*	82968S	831471*	15A*			34	13	16	153	156	119	
171008*	171024*		831473*							193	196	159	
171009	171025	82968	83394	2A		●	35	20	20	136	139	101	
171010	171026		83391							185	188	150	
171062	171070		83977							94	97	60	
171063	171071		83978						16	149	152	115	
171064	171072		83979							179	182	145	
171065	171073	821123	83980	2B	FE.ZN	●	34	20		229	232	195	
171066	171074		83981						20	119	122	85	
171067	171075		83982							149	152	115	
171068	171076		83983							179	182	145	
171069	171077		83984							229	232	195	
171078	171086		83969						16	94	97	60	
171079	171087		83970							149	152	115	
171080	171088		83971							179	182	145	
171081	171089	821123	83972	2B	INOX	●	34	20		229	232	195	
171082	171090		83973						20	119	122	85	
171083	171091		83974							149	152	115	
171084	171092		83975							179	182	145	
171085	171093		83976							229	232	195	

Preferred type, readily available (codes marked in red)



SPINDLE TYPE




Code				Spindle		Material nut	D mm		M	L mm	L ₁ mm	L ₂ mm				
Standard Assembled	Anti-slip Assembled	Base	Spindle	Type	Material											
170768	170781	82970	82274	1C	FE.ZN	FE.ZN	42	24	12	107	110	65	12000			
170769	170782		82275							157	160	115				
170770	170783		82312							202	205	160				
170771	170784		82313							107	110	65				
170772	170785		82314						14	157	160	115				
170773	170786		82315							202	205	160				
170774	170787		82276							107	110	65				
170775	170788		82277						16	157	160	115				
170776	170789		82278							202	205	160				
170777	170790		82280							20	157	160		115		
170778	170791		82281			202			205		160					
170779	170792		82283			•			49	30	24	159		162	110	
170780	170793		82284				202	205				153				
170794	170807	82970	82262	1C	INOX	INOX	42	24	12	107	110	65	12000			
170795	170808		82263							157	160	115				
170796	170809		82316							202	205	160				
170797	170810		82317							107	110	65				
170798	170811		82318						14	157	160	115				
170799	170812		82319							202	205	160				
170800	170813		82264							16	107	110		65		
170801	170814		82265						157		160	115				
170802	170815		82266						202		205	160				
170803	170816		82268						20	157	160	115				
170804	170817		82269			202				205	160					
170805	170818		82271			•	49	30	24	159	162	110				
170806	170819		82272							202	205	153				
170820	170824	82970	82193	3C	PA.FE	FE.ZN	42	24	16	104	107	62	4000			
170821	170825		82193			INOX				104	107	62				
170822	170826		82454			•	52	30	20	126	129	74				
170823	170827		82247							179	182	127				
170828	170838	82970	83022	11C	OT.NI	FE.ZN	41	20	16	98	101	57	12000			
170829	170839		83023			INOX				156	159	115				
170830	170840		83024							186	189	145				
170831	170841		83022							98	101	57				
170832	170842		83023							156	159	115				
170833	170843		83024	12C		•			20	186	189	145				
170834	170844		83003							156	159	115				
170835	170845		83025							186	189	145				
170836	170846		83026			22		24	156	159	115					
170837	170847		83027						186	189	145					
170848	170860	82970	83252	2C	FE.ZN	FE.ZN	41	24	16	98	101	57	15000			
170849	170861		83253							156	159	115				
170850	170862		83254							186	189	145				
170851	170863		83368							236	239	195				
170852	170864		83255			•			20	126	129	85				
170853	170865		83161							156	159	115				
170854	170866		83162			•				186	189	145				
170855	170867		82282							236	239	195				
170856	170868		83256			•			24	126	129	85				
170857	170869		83257							156	159	115				
170858	170870		83258							186	189	145				
170859	170871		83370							236	239	195				
170872	170884	82970	83244	2C	INOX	INOX	41	24	16	98	101	57	15000			
170873	170885		83245							156	159	115				
170874	170886		83246							186	189	145				
170875	170887		83365							236	239	195				
170876	170888		83247			•			20	126	129	85				
170877	170889		83159							156	159	115				
170878	170890		83160			•				186	189	145				
170879	170891		83366							236	239	195				
170880	170892		83249			•			24	126	129	85				
170881	170893		83250							156	159	115				
170882	170894		83251							186	189	145				
170883	170895		83367							236	239	195				

Preferred type, readily available (codes marked in red)



SOLID BASE



SPINDLE MATERIAL

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated
OT.NI Nickel Plated Brass
PA.FE Polyamide with Steel Insert
 ● Without Nut

code standard: Without Rubber

TECHNICAL INFORMATION

Solid base series

The solid base is created through new technology which will help equipment builders meet the requirements of the USDA and other government agencies related to the prevention of contamination of food products and the growth of bacteria.

Material:


Base in reinforced polyamide.
 Threaded spindle as in the table.

Characteristics:


The foot can be fixed to the floor.

* This product was modified recently.
 A version with hexagonal spindle is still available on request for adequate quantities.


SPINDLE TYPE



Code			Spindle		D mm		M	L mm	L ₂ mm	
Assembled	Base	Spindle	Type	Material						
170896	82969	83020	11A	OT.NI	39	13	16	113	74	20000
170897		83021						153	114	
170898		83113					8	75	43	
170899		83115						97	65	
170900		83241					10	75	43	
170901		83010						103	71	
170902		83111						157	125	
170903	82969	83259	2A	FE.ZN	32	14	12	75	43	22000
170904		83011						103	71	
170905		83012						157	125	
170906		83013						103	71	
170907		83014					14	157	125	
170908		82310	1A		40	18		202	162	12000
170909*		831470*						103	69	
170910*		831472*			34	13	16	153	119	
170911*	82969S	831474*	15A*					193	159	22000
170912*		831480*			35	16	20	148	113	
170913*		831482*						193	158	
170914		83112					8	75	43	
170915		83114						97	65	
170916		83260					10	75	43	
170917		83004						103	71	
170918	82969	83110	2A	INOX	32	14	12	157	125	22000
170919		83261						75	43	
170920		83005						103	71	
170921		83006						157	125	
170922		83007						103	71	
170923		83008					14	157	125	
170924		82311	1A		40	18		202	162	12000
170925*		831469*						103	69	
170926*	82969S	831471*	15A*		34	13	16	153	119	22000
170927*		831473*						193	159	
170928	82969	83394	2A		35	20	20	136	101	
170929		83391						185	150	
171094		83977						94	60	
171095		83978					16	q149	115	
171096	821124	83979	2B	FE.ZN	34	20		179	145	25000
171097		83980						229	195	
171098		83981						119	85	
171099		83982					20	149	115	
171100		83983						179	145	
171101		83984						229	195	
171102		83969					16	94	60	
171103	821124	83970	2B	INOX	34	20		149	115	25000
171104		83971						179	145	
171105		83972						229	195	
171106		83973						119	85	
171107		83974					20	149	115	
171108		83975						179	145	
171109		83976						229	195	



SPINDLE TYPE



Code			Spindle		D mm		M	L mm	L ₂ mm	
Assembled	Base	Spindle	Type	Material						
170930	82971	82274	1C	FE.ZN	42	24	12	107	65	15000
170931		82275						157	115	
170932		82312						202	160	
170933		82313					14	107	65	
170934		82314						157	115	
170935		82315						202	160	
170936		82276					16	107	65	
170937		82277						157	115	
170938		82278						202	160	
170939		82280					20	157	115	
170940		82281						202	160	
170941		82283			49	30	24	159	110	
170942		82284						202	153	
170943	82971	82262	1C	INOX	42	24	12	107	65	15000
170944		82263						157	115	
170945		82316						202	160	
170946		82317					14	107	65	
170947		82318						157	115	
170948		82319						202	160	
170949		82264					16	107	65	
170950		82265						157	115	
170951		82266						202	160	
170952		82268					20	157	115	
170953		82269						202	160	
170954		82271			49	30	24	159	110	
170955		82272						202	153	
170956	82971	82193	3C	PA.FE	42	24	16	104	62	4000
170957		82454			52	30	20	126	74	
170958		82247						179	127	
170737	82971	83022	11C	OT.NI	41	20	16	98	57	18000
170738		83023						156	115	
170739		83024						186	145	
170740		83003	20				156	115		
170741		83025					186	145		
170742		83026	22			24	156	115		
170743		83027					186	145		
170744	82971	83252	2C	FE.ZN	41	24	16	98	57	25000
170745		83253						156	115	
170746		83254						186	145	
170747		83368						236	195	
170748		83255					20	126	85	
170749		83161						156	115	
170750		83162						186	145	
170751		82282						236	195	
170752		83256					24	126	85	
170753		83257						156	115	
170754		83258						186	145	
170755		83370						236	195	
170756	82971	83244	2C	INOX	41	24	16	98	57	25000
170757		83245						156	115	
170758		83246						186	145	
170759		83365						236	195	
170760		83247					20	98	85	
170761		83159						156	115	
170762		83160						186	145	
170763		83366						236	195	
170764		83249					24	98	85	
170765		83250						156	115	
170766		83251						186	145	
170767		83367						236	195	


SPINDLE MATERIAL

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated
OT.NI Nickel Plated Brass
 ● Without Nut


code standard: Without Rubber
code anti-slip: With Rubber

TECHNICAL INFORMATION

Material:
 Base in reinforced polyamide.
 Threaded spindle as in the table.
 Anti-slip version with oil resistant rubber, 70 shore hardness.



SPINDLE TYPE



ANTI-SLIP PAD

Code: 171312




Preferred type, readily available (codes marked in red)

* This product was modified recently. A version with hexagonal spindle is still available on request for adequate quantities.

Code				Spindle		Material nut	D mm		M	L mm	L ₁ mm	L ₂ mm								
Standard Assembled	Anti-slip Assembled	Base	Spindle	Type	Material															
17257	17259	82182	83020	11A	OT.NI	INOX	34	13	16	108	111	74	12000							
17258	17260		83021							148	151	114								
170192	170195	82182	83113	2A	FE.ZN	FE.ZN	27	14	8	70	73	43	15000							
170193	170196		83115							92	95	65								
17900	17901		83241						10	70	73	43								
17292	17293		83010							98	101	71								
170194	170197		83111						12	152	155	125								
17902	17903		83259							70	73	43								
17307	17311		83011							98	101	71								
17309	17313		83012							152	155	125								
17315	17319		83013							98	101	71								
17317	17321		83014						14	152	155	125								
17294	17295		82310							197	200	162		8000						
17269*	17324*		82182S						831470*	15A*	●	30		13	16	20	98	101	69	15000
17322*	17325*								831472*								148	151	119	
17327*	17329*	831474*		188	191	159														
17894*	17895*	831480*		143	146	113														
17896*	17897*	831482*		188	191	158														
170198	170201	82182	83112	2A	INOX	INOX	27	14	8	70	73	43	15000							
170199	170202		83114							92	95	65								
17904	17905		83260						70	73	43									
17296	17297		83004						10	98	101	71								
170200	170203		83110							152	155	125								
17906	17907		83261						12	70	73	43								
17306	17310		83005							98	101	71								
17308	17312		83006							152	155	125								
17314	17318		83007							98	101	71								
17316	17320		83008						14	152	155	125								
17298	17299		82311							35	18	197		200	162	8000				
17531*	17532*		82182S						831469*	15A*	●	30		20	16	20	98	101	69	15000
17323*	17326*								831471*								148	151	119	
17328*	17330*	831473*		188	191	159														
17898	170017	82182	83394	2A	●	30	20	20	20	131	134	101								
170018	170019		83391							180	183	150								

SOLID BASE



SPINDLE MATERIAL

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated
OT.NI Nickel Plated Brass
 ● Without Nut

code standard: Without Rubber

TECHNICAL INFORMATION


Solid base series

The solid base is created through new technology which will help equipment builders meet the requirements of the USDA and other government agencies, related to the prevention of contamination of food products and the growth of bacteria.

Material:

Base in reinforced polyamide.
 Threaded spindle as in the table.

SPINDLE TYPE




Preferred type, readily available (codes marked in red)

* This product was modified recently. A version with hexagonal spindle is still available on request for adequate quantities.


Code			Spindle		D mm		M	L mm	L ₂ mm	
Assembled	Base	Spindle	Type	Material						
175001	82816	83020	11A	OT.NI	35	13	16	109	74	20000
175002		83021						149	114	
175003	82816	83113	2A	FE.ZN	28	14	8	71	43	22000
175004		83115						93	65	
175005		83241					71	43		
175006		83010					99	71		
175007		83111					153	125		
175008		83259					71	43		
175009		83011					99	71		
175010		83012					153	125		
175011		83013					99	71		
175012		83014					153	125		
175013		82310					198	162	12000	
175014*		82816S					831470*	15A*		
175015*	831472*		149	119						
175016*	831474*		189	159						
175017*	831480*		144	113						
175018*	831482*		189	158						
175019	82816	83112	2A	INOX	28	14	8	71	43	22000
175020		83114						93	65	
175021		83260					71	43		
175022		83004					99	71		
175023		83110					153	125		
175024		83261					71	43		
175025		83005					99	71		
175026		83006					153	125		
175027		83007					99	71		
175028		83008					153	125		
175029		82311					198	162	12000	
175030*		82816S					831469*	15A*		
175031*	831471*		149	119						
175032*	831473*		189	159						
175033	82816	83394	2A		31	20	20	132	101	
175034		83391						181	150	




SPINDLE TYPE



- For articulated foot **Special Version** add "C" to Standard part number (example "code 170180C or 170186C")



- Characteristics:**
The foot can be fixed to the floor.



- Characteristics:**
The foot can be fixed to the floor by opening the signs marked on the base.

SPINDLE MATERIAL

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated
OT.NI Nickel Plated Brass
 ● Without Nut

code standard: Without Rubber
code anti-slip: With Rubber

TECHNICAL INFORMATION

Material:
 Base in reinforced polyamide.
 Threaded spindle as in the table.
 Anti-slip version with oil resistant rubber, 70 shore hardness.

Characteristics:
 The foot can be fixed to the floor.

ANTI-SLIP PAD

Code: 171313




 Preferred type, readily available (codes marked in red)

* This product was modified recently. A version with hexagonal spindle is still available on request for adequate quantities.

Code				Spindle		Material nut	D mm		M	L mm	L ₁ mm	L ₂ mm			
Standard Assembled	Anti-slip Assembled	Base	Spindle	Type	Material										
170180	170186	82450	83020	11A	OT.NI	INOX	33	13	16	107	110	74	12000		
170181	170187		83021							147	150	114			
170182	170188	82450	83113	2A	FE.ZN	FE.ZN	26	14	8	69	72	43	15000		
170183	170189		83115							91	94	65			
17908	17909		83241						10	69	72	43			
17533	17542		83010							97	100	71			
17534	17543		83111						12	151	154	125			
17910	17911		83259							69	72	43			
17535	17544		83011							97	100	71			
17536	17545		83012							151	154	125			
17537	17546		83013						14	97	100	71			
17538	17547		83014							151	154	125			
17539	17548		82310	1A			34	18		196	199	162	8000		
17540*	17549*		821576	831470*						15A*	●	29	16	20	97
17541*	17550*	831472*		147	150	119									
17551*	17552*	831474*		187	190	159									
170020*	170077*	831480*		142	145	113									
170078*	170079*	831482*		187	190	158									
170184	170190	82450	83112	2A	INOX	INOX	26	14	8	69	72	43	15000		
170185	170191		83114							91	94	65			
17912	17913		83260						10	69	72	43			
17553	17563		83004							97	100	71			
17554	17564		83110						12	151	154	125			
17914	17915		83261							69	72	43			
17555	17565		83005							97	100	71			
17556	17566		83006						14	151	154	125			
17557	17567		83007							97	100	71			
17558	17568		83008	1A			34	18		151	154	125		8000	
17559	17569		82311	196						199	162				
17560*	17570*	821576	831469*	15A*		●	28	13	16	97	100	69	15000		
17561*	17571*		831471*							147	150	119			
17562*	17572*		831473*							187	190	159			
170080	170179	82450	83394	2A		●	29	20	20	130	133	101			
170204	170205		83391							179	182	150			



**SOLID
BASE**



SPINDLE MATERIAL

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated
OT.NI Nickel Plated Brass
 ● Without Nut

code standard: Without Rubber

TECHNICAL INFORMATION

Solid base series

The solid base is created through new technology which will help equipment builders meet the requirements of the USDA and other government agencies, related to the prevention of contamination of food products and the growth of bacteria.


Material:

Base in reinforced polyamide.
 Threaded spindle as in the table.

Characteristics:

The foot can be fixed to the floor.

SPINDLE TYPE



Preferred type, readily available (codes marked in red)

* This product was modified recently. A version with hexagonal spindle is still available on request for adequate quantities.

Code			Spindle		D mm		M	L mm	L ₂ mm	
Assembled	Base	Spindle	Type	Material						
175035	82815	83020	11A	OT.NI	35	13	16	109	74	20000
175036		83021						149	114	
175037	82815	83113	2A	FE.ZN	28	14	8	71	43	22000
175038		83115						93	65	
175039		83241					10	71	43	
175040		83010						99	71	
175041		83111					12	153	125	
175042		83259						71	43	
175043		83011						99	71	
175044		83012						153	125	
175045		83013					14	99	71	
175046		83014						153	125	
175047		82310	1A		36	18	198	162	12000	
175048*	82815S	831470*	15A*		30	13	16	99	69	22000
175049*		831472*						149	119	
175050*		831474*						189	159	
175051*		831480*						144	113	
175052*		831482*			31	20	20	189	158	
175053	82815	83112	2A	INOX	28	14	8	71	43	22000
175054		83114						93	65	
175055		83260					10	71	43	
175056		83004						99	71	
175057		83110					12	153	125	
175058		83261						71	43	
175059		83005						99	71	
175060		83006					14	153	125	
175061		83007						99	71	
175062		83008					36	18	16	
175063		82311	1A		198	162				12000
175064*	82815S	831469*	15A*		30	13	16	99	69	22000
175065*		831471*						149	119	
175066*		831473*						189	159	
175067	82815	83394	2A		31	20	20	132	101	
175068		83391						181	150	


**SPINDLE MATERIAL**

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated
OT.NI Nickel Plated Brass
PA.FE Polyamide with Steel Insert
 ● Without Nut


code standard: Without Rubber
code anti-slip: With Rubber

TECHNICAL INFORMATION

Material:
 Base in reinforced polyamide.
 Threaded spindle as in the table.
 Anti-slip version with oil resistant rubber, 70 shore hardness.

**ANTI-SLIP PAD**

Code: 171312

**SPINDLE TYPE**

 Preferred type, readily available (codes marked in red)

Code				Spindle		Material nut	D mm		M	L mm	L ₁ mm	L ₂ mm			
Standard Assembled	Anti-slip Assembled	Base	Spindle	Type	Material										
170309	170322	82773	82274	1C	FE.ZN	•	42	24	12	107	111	65	12000		
170310	170323		82275							157	161	115			
170311	170324		82312							202	206	160			
170312	170325		82313							107	111	65			
170313	170326		82314						14	157	161	115			
170314	170327		82315							202	206	160			
170315	170328		82276							107	111	65			
170316	170329		82277						16	157	161	115			
170317	170330		82278							202	206	160			
170318	170331		82280							157	161	115			
170319	170332		82281						20	202	206	160			
170320	170333		82283							202	206	160			
170321	170334	82284	49	30	24	159	163	110	202	206	153				
170335	170348	82773	82262	1C	INOX	•	42	24	12	107	111	65	12000		
170336	170349		82263							157	161	115			
170337	170350		82316							202	206	160			
170338	170351		82317							107	111	65			
170339	170352		82318						14	157	161	115			
170340	170353		82319							202	206	160			
170341	170354		82264							107	111	65			
170342	170355		82265						16	157	161	115			
170343	170356		82266							202	206	160			
170344	170357		82268							157	161	115			
170345	170358		82269						20	202	206	160			
170346	170359		82271							159	163	110			
170347	170360	82272	49	30	24	202	206	153							
170381	170384	82773	82193	3C	PA.FE	•	42	24	16	104	108	62	4000		
170382	170385		82454				52	30	20	126	130	74			
170383	170386		82247				179	183	127						
171110	171118	821125	83977	2B	FE.ZN	•	34	20	16	94	98	60	15000		
171111	171119		83978							149	153	115			
171112	171120		83979							179	183	145			
171113	171121		83980							229	233	195			
171114	171122		83981						20	119	123	85			
171115	171123		83982							149	153	115			
171116	171124		83983							179	183	145			
171117	171125		83984							229	233	195			
171126	171134	821125	83969	2B	INOX	•	34	20	16	94	98	60	15000		
171127	171135		83970							149	153	115			
171128	171136		83971							179	183	145			
171129	171137		83972							229	233	195			
171130	171138		83973						20	119	123	85			
171131	171139		83974							149	153	115			
171132	171140		83975							179	183	145			
171133	171141		83976							229	233	195			
170364	170374	82773	83022	11C	OT.NI	•	42	20	16	99	103	57	12000		
170365	170375		83023							157	161	115			
170366	170376		83024							187	191	145			
170367	170377		83003							20	157	161		115	
170368	170378		83025	24					187		191	145			
170369	170379		83026						157		161	115			
170370	170380		83027	82773				2C	FE.ZN	•	42	24		16	187
170260	170272	83252	99		103	57									
170261	170273	83253	20		157	161							115		
170262	170274	83254			187	191							145		
170263	170275	83368			237	241							195		
170264	170276	83255			127	131							85		
170265	170277	83161	24		157	161							115		
170266	170278	83162			187	191							145		
170267	170279	82282			237	241							195		
170268	170280	83256			127	131							85		
170269	170281	83257	24		157	161							115		
170270	170282	83258			187	191							145		
170271	170283	83370			237	241							195		
170285	170297	82773	83244	2C	INOX	•	42	24	16	99	103	57	15000		
170286	170298		83245							157	161	115			
170287	170299		83246							187	191	145			
170288	170300		83365							237	241	195			
170289	170301		83247						20	127	131	85			
170290	170302		83159							157	161	115			
170291	170303		83160							187	191	145			
170292	170304		83366							237	241	195			
170293	170305		83249						24	127	131	85			
170294	170306		83250							157	161	115			
170295	170307		83251							187	191	145			
170296	170308		83367							237	241	195			


**SPINDLE MATERIAL**

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated
OT.NI Nickel Plated Brass
PA.FE Polyamide with Steel Insert
 ● Without Nut


code standard: Without Rubber
code anti-slip: With Rubber

TECHNICAL INFORMATION**Material:**

Base in reinforced polyamide.
 Threaded spindle as in the table.
 Anti-slip version with oil resistant rubber, 70 shore hardness.

**ANTI-SLIP PAD**

Code: 171314

**SPINDLE TYPE**

 Preferred type, readily available (codes marked in red)

Code				Spindle		Material nut	D mm		M	L mm	L ₁ mm	L ₂ mm					
Standard Assembled	Anti-slip Assembled	Base	Spindle	Type	Material												
17413	17416	82183	82274	1C	FE.ZN	●	47	24	12	112	115	65	12000				
17414	17417		82275							162	165	115					
17415	17418		82312							207	210	160					
17419	17422		82313							112	115	65					
17420	17423		82314						14	162	165	115					
17421	17424		82315							207	210	160					
17336	17343		82276							112	115	65					
17338	17345		82277						16	162	165	115					
17340	17347		82278							207	210	160					
17349	17356		82280							162	165	115					
17352	17359		82281				20	207	210	160							
17427	17430		82283					207	210	160							
17428	17431		82284				24	164	167	110							
17433	17439							207	210	153							
17434	17440	82183	82262	1C	INOX	●	47	24	12	112	115	65	12000				
17435	17441		82263							162	165	115					
17436	17442		82316							207	210	160					
17437	17443		82317						14	112	115	65					
17438	17444		82318							162	165	115					
17337	17344		82319							207	210	160					
17339	17346		82264						16	112	115	65					
17341	17348		82265							162	165	115					
17350	17357		82266							207	210	160					
17353	17360		82268						20	162	165	115					
17460	17463		82269							207	210	160					
17461	17464		82271				54	30	24	164	167	110					
17335	17342		82272							207	210	153					
17496	17497		82183				82193	3C	PA.FE	●	47	24		16	109	112	62
17496	17497	82454		57	30	20	131				134	74					
17351	17358	82247					184				187	127					
171142	171150	821126	83977	2B	FE.ZN	●	39	20	16	99	102	60	18000				
171143	171151		83978							154	157	115					
171144	171152		83979							184	187	145					
171145	171153		83980							234	237	195					
171146	171154		83981						20	124	127	85					
171147	171155		83982							154	157	115					
171148	171156		83983							184	187	145					
171149	171157		83984							234	237	195					
171158	171166	821126	83969	2B	INOX	●	39	20	16	99	102	60	18000				
171159	171167		83970							154	157	115					
171160	171168		83971							184	187	145					
171161	171169		83972							234	237	195					
171162	171170		83973						20	124	127	85					
171163	171171		83974							154	157	115					
171164	171172		83975							184	187	145					
171165	171173		83976							234	237	195					
17253	17255	82183	83022	11C	OT.NI	●	45	20	16	102	105	57	15000				
17254	17256		83023							160	163	115					
17466	17467		83024							190	193	145					
17066	17068		83003	12C					20	160	163	115					
17067	17069		83025							190	193	145					
17074	17075		83026	22				24	160	163	115						
17076	17077		83027						190	193	145						
17829	17830	82183	83252	2C	FE.ZN	●	45	24	16	102	105	57	18000				
17831	17832		83253							160	163	115					
17833	17834		83254							190	193	145					
17425	17426		83368							240	243	195					
17835	17836		83255						20	130	133	85					
17500	17504		83161							160	163	115					
17501	17505		83162							190	193	145					
17354	17361		82282							240	243	195					
17837	17838		83256						24	130	133	85					
17839	17840		83257							160	163	115					
17848	17849		83258							190	193	145					
17429	17432		83370							240	243	195					
17815	17816	82183	83244	2C	INOX	●	45	24	16	102	105	57	18000				
17817	17818		83245							160	163	115					
17819	17820		83246							190	193	145					
17445	17446		83365							240	243	195					
17821	17822		83247						20	130	133	85					
17498	17502		83159							160	163	115					
17499	17503		83160							190	193	145					
17355	17362		83366							240	243	195					
17823	17824		83249						24	130	133	85					
17825	17826		83250							160	163	115					
17827	17828		83251							190	193	145					
17462	17465		83367							240	243	195					



**SOLID
BASE**

SPINDLE MATERIAL

INOX	Stainless Steel Aisi 304
FE.ZN	Zinc Plated
OT.NI	Nickel Plated Brass
PA.FE	Polyamide with Steel Insert
●	Without Nut

code standard: Without Rubber


TECHNICAL INFORMATION

Solid base series

The solid base is created through new technology which will help equipment builders meet the requirements of the USDA and other government agencies, related to the prevention of contamination of food products and the growth of bacteria.


Material:

Base in reinforced polyamide.
Threaded spindle as in the table.



**HIGH
LOAD
CAPACITY**

SPINDLE TYPE



 Preferred type, readily available (codes marked in red)

Code			Spindle		D mm		M	L mm	L ₂ mm	
Assembled	Base	Spindle	Type	Material						
175069	82818	82274	1C	FE.ZN	47	24	12	112	65	15000
175070		82275						162	115	
175071		82312						207	160	
175072		82313					14	112	65	
175073		82314						162	115	
175074		82315						207	160	
175075		82276					16	112	65	
175076		82277						162	115	
175077		82278						207	160	
175078		82280					20	162	115	
175079		82281						207	160	
175080		82283			54	30	24	164	110	
175081		82284						207	153	
175082	82818	82262	1C	INOX	47	24	12	112	65	15000
175083		82263						162	115	
175084		82316						207	160	
175085		82317					14	112	65	
175086		82318						162	115	
175087		82319						207	160	
175088		82264					16	112	65	
175089		82265						162	115	
175090		82266						207	160	
175091		82268					20	162	115	
175092		82269						207	160	
175093		82271			54	30	24	164	110	
175094		82272						207	153	
175095	82818	82193	3C	PA.FE	47	24	16	109	62	4000
175096		82454			57	30	20	131	74	
175097		82247						184	127	
175127	82818	83022	11C	OT.NI	45	20	16	102	57	18000
175128		83023						160	115	
175129		83024						190	145	
175130		83003	12C				20	160	115	
175131		83025						190	145	
175132		83026				22	24	160	115	
175133		83027						190	145	
175134	82818	83252	2C	FE.ZN	45	24	16	102	57	25000
175135		83253						160	115	
175136		83254						190	145	
175137		83368						240	195	
175138		83255					20	130	85	
175139		83161						160	115	
175140		83162						190	145	
175141		82282						240	195	
175142		83256					24	130	85	
175143		83257						160	115	
175144		83258						190	145	
175145		83370						240	195	
175146	82818	83244	2C	INOX	45	24	16	102	57	25000
175147		83245						160	115	
175148		83246						190	145	
175149		83365						240	195	
175150		83247					20	130	85	
175151		83159						160	115	
175152		83160						190	145	
175153		83366						240	195	
175154		83249					24	130	85	
175155		83250						160	115	
175156		83251						190	145	
175157		83367						240	195	



SPINDLE MATERIAL

INOX	Stainless Steel Aisi 304
FE.ZN	Zinc Plated
OT.NI	Nickel Plated Brass
PA.FE	Polyamide with Steel Insert
●	Without Nut

code standard: Without Rubber

code anti-slip: With Rubber

TECHNICAL INFORMATION

Material:

Base in reinforced polyamide.
Threaded spindle as in the table.
Anti-slip version with oil resistant rubber, 70 shore hardness.


Characteristics:

The foot can be fixed to the floor.

STANDARD VERSION

Characteristics:

The foot can be fixed to the floor.



ANTI-SLIP PAD


Code: 171314




SPECIAL VERSION

Characteristics:

The foot can be fixed to the floor by opening the signs marked on the base.



SPINDLE TYPE



● For articulated foot **Special Version** add "C" to Standard part number (example "code 17573C or 17589C")

Code				Spindle		Material nut	D mm		M	L mm	L ₁ mm	L ₂ mm					
Standard Assembled	Anti-slip Assembled	Base	Spindle	Type	Material												
17573	17589	82452	82274	1C	FE.ZN	●	47	24	12	112	115	65	12000				
17574	17590		82275							162	165	115					
17575	17591		82312							207	210	160					
17576	17592		82313							112	115	65					
17577	17593		82314						14	162	165	115					
17578	17594		82315							207	210	160					
17579	17595		82276							112	115	65					
17580	17596		82277						16	162	165	115					
17581	17597		82278							207	210	160					
17583	17599		82280							162	165	115					
17584	17618		82281				54	30	24	207	210	160					
17586	17620		82283							164	167	110					
17587	17621		82284							207	210	153					
17623	17639	82452	82262	1C	INOX	●	47	24	12	112	115	65	12000				
17624	17640		82263							162	165	115					
17625	17641		82316							207	210	160					
17626	17642		82317							112	115	65					
17627	17643		82318						14	162	165	115					
17628	17644		82319							207	210	160					
17629	17645		82264							112	115	65					
17630	17646		82265						16	162	165	115					
17631	17647		82266							207	210	160					
17633	17649		82268							162	165	115					
17634	17650		82269				54	30	24	207	210	160					
17636	17652		82271							164	167	110					
17637	17653		82272							207	210	153					
17669	17671	82452	82193	3C	PA.FE	●	47	24	16	109	112	62	4000				
17683	17684		82454				57	30	20	131	134	74					
17670	17672		82247							184	187	127					
171174	171182	821127	83977	2B	FE.ZN	●	39	20	16	99	102	60	18000				
171175	171183		83978							154	157	115					
171176	171184		83979							184	187	145					
171177	171185		83980							234	237	195					
171178	171186		83981						20	124	127	85					
171179	171187		83982							154	157	115					
171180	171188		83983							184	187	145					
171181	171189		83984							234	237	195					
171190	171198	821127	83969	2B	INOX	●	39	20	16	99	102	60	18000				
171191	171199		83970							154	157	115					
171192	171200		83971							184	187	145					
171193	171201		83972							234	237	195					
171194	171202		83973						20	124	127	85					
171195	171203		83974							154	157	115					
171196	171204		83975							184	187	145					
171197	171205		83976							234	237	195					
17655	17662	82452	83022	11C	OT.NI	●	45	20	16	102	105	57	12000				
17656	17663		83023							160	163	115					
17657	17664		83024							190	193	145					
17658	17665		83003	12C					20	160	163	115					
17659	17666		83025							190	193	145					
17660	17667		83026	22				24	160	163	115						
17661	17668		83027						190	193	145						
17796	17797	82452	83252	2C	FE.ZN	●	45	24	16	102	105	57	18000				
17798	17799		83253							160	163	115					
17800	17801		83254							190	193	145					
17582	17598		83368							240	243	195					
17802	17803		83255						20	130	133	85					
17687	17691		83161							160	163	115					
17688	17692		83162							190	193	145					
17585	17619		82282							240	243	195					
17804	17805		83256						24	130	133	85					
17806	17807		83257							160	163	115					
17808	17814		83258							190	193	145					
17588	17622		83370							240	243	195					
17782	17783	82452	83244	2C	INOX	●	45	24	16	102	105	57	18000				
17784	17785		83245							160	163	115					
17786	17787		83246							190	193	145					
17632	17648		83365							240	243	195					
17788	17789		83247						20	130	133	85					
17685	17689		83159							160	163	115					
17686	17690		83160							190	193	145					
17635	17651		83366						24	240	243	195					
17790	17791		83249							130	133	85					
17792	17793		83250							160	163	115					
17794	17795		83251							190	193	145					
17638	17654		83367							240	243	195					

 Preferred type, readily available (codes marked in red)


**SOLID
BASE**
SPINDLE MATERIAL

INOX	Stainless Steel Aisi 304
FE.ZN	Zinc Plated
OT.NI	Nickel Plated Brass
PA.FE	Polyamide with Steel Insert
●	Without Nut

code standard: Without Rubber

TECHNICAL INFORMATION
Solid base series



The solid base is created through new technology which will help equipment builders meet the requirements of the USDA and other government agencies, related to the prevention of contamination of food products and the growth of bacteria.

Material:

Base in reinforced polyamide.
Threaded spindle as in the table.

Characteristics:

The foot can be fixed to the floor.


**HIGH
LOAD
CAPACITY**
SPINDLE TYPE


 Preferred type, readily available (codes marked in red)

Code			Spindle		D mm		M	L mm	L ₂ mm			
Assembled	Base	Spindle	Type	Material								
175098	82817	82274	1C	FE.ZN	47	24	12	112	65	15000		
175099		82275						162	115			
175100		82312						207	160			
175101		82313					14	112	65			
175102		82314						162	115			
175103		82315						207	160			
175104		82276					16	112	65			
175105		82277						162	115			
175106		82278						207	160			
175107		82280					20	162	115			
175108		82281						207	160			
175109		82283			54	30	24	164	110			
175110		82284						207	153			
175111	82817	82262	1C	INOX	47	24	12	112	65	15000		
175112		82263						162	115			
175113		82316						207	160			
175114		82317					14	112	65			
175115		82318						162	115			
175116		82319						207	160			
175117		82264					16	112	65			
175118		82265						162	115			
175119		82266						207	160			
175120		82268					20	162	115			
175121		82269						207	160			
175122		82271			54	30	24	164	110			
175123		82272						207	153			
175124	82817	82193	3C	PA.FE	47	24	16	109	62	4000		
175125		82454			57	30	20	131	74			
175126		82247						184	127			
175158	82817	83022	11C	OT.NI	45	20	16	102	57	18000		
175159		83023						160	115			
175160		83024						190	145			
175161		83003	20				160	115				
175162		83025					190	145				
175163		83026	22			24	160	115				
175164		83027					190	145				
175165		82817	83252			2C	FE.ZN	45	24	16	102	57
175166	83253		160								115	
175167	83254		190								145	
175168	83368		240								195	
175169	83255		20							130	85	
175170	83161									160	115	
175171	83162									190	145	
175172	82282									240	195	
175173	83256		24							130	85	
175174	83257									160	115	
175175	83258									190	145	
175176	83370									240	195	
175177	82817		83244	2C	INOX	45	24	16	102	57	25000	
175178		83245	160						115			
175179		83246	190						145			
175180		83365	240						195			
175181		83247	20					130	85			
175182		83159						160	115			
175183		83160						190	145			
175184		83366						240	195			
175185		83249	24					130	85			
175186		83250						160	115			
175187		83251						190	145			
175188		83367						240	195			

**SPINDLE MATERIAL**

INOX Stainless Steel Aisi 304

FE.ZN Zinc Plated

code standard: Without Rubber

code anti-slip: With Rubber

TECHNICAL INFORMATION**Material:**


Base in reinforced polyamide.

Threaded spindle as in the table.


Anti-slip version with oil resistant rubber, 70 shore hardness.

Characteristics:

The foot can be fixed to the floor.

**ANTI-SLIP PAD**

Code: 171319

SPINDLE TYPE

Preferred type, readily available (codes marked in red)

* This product was modified recently. A version with hexagonal spindle is still available on request for adequate quantities.

Code				Spindle		Material nut	D mm		M	L mm	L ₁ mm	L ₂ mm	
Standard Assembled	Anti-slip Assembled	Base	Spindle	Type	Material								
170704	170712	82951	83624	7	FE.ZN	●	54	20	16	169	173	115	25000
170705	170713		83625							189	193	135	
170706	170714		83175							169	173	115	
170707	170715		83173							189	193	135	
170708*	170716*		83182*	8*				19	24	179	183	125	
170709*	170717*		83183*							239	243	185	
170710*	170718*		83177*							179	183	125	
170711*	170719*		83176*							239	243	185	
170720	170728	82951	83626	7	INOX	●	54	20	16	169	173	115	25000
170721	170729		83627							189	193	135	
170722	170730		83174							169	173	115	
170723	170731		83172							189	193	135	
170724*	170732*		83180*	8*				19	24	179	183	125	
170725*	170733*		83181*							239	243	185	
170726*	170734*		83179*							179	183	125	
170727*	170735*		83178*							239	243	185	

General tolerance on total height $L \pm 2$ mm



SPINDLE MATERIAL

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated
 ● Without Nut



code standard: Without Rubber
code anti-slip: With Rubber

TECHNICAL INFORMATION

Material:
 Base in reinforced polyamide.
 Threaded spindle as in the table.
 Anti-slip version with oil resistant rubber, 70 shore hardness.


Characteristics:
 The foot can be fixed to the floor.

SPINDLE TYPE



ANTI-SLIP PAD

Code: 821368



Preferred type, readily available (codes marked in red)

Code				Spindle		Material nut	D mm		M	L mm	L ₂ mm	
Standard Assembled	Anti-slip Assembled	Base	Spindle	Type	Material							
171371	171379	821367	83624	7	FE.ZN	●	41.5	20	16	156.5	115	20000
171372	171380		83625							176.5	135	
171373	171381		83175					24	20	156.5	115	
171374	171382		83173							176.5	135	
171375	171383	821367	83626	7	INOX	●	41.5	20	16	156.5	125	20000
171376	171384		83627							176.5	185	
171377	171385		83174					24	20	156.5	125	
171378	171386		83172							176.5	185	

**SPINDLE MATERIAL**

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated
OT.NI Nickel Plated Brass
PA.FE Polyamide with Steel Insert
 ● Without Nut


code standard: Without Rubber
code anti-slip: With Rubber

TECHNICAL INFORMATION**Material:**


Base in reinforced polyamide.
 Threaded spindle as in the table.
 Anti-slip version with oil resistant rubber, 70 shore hardness.

Characteristics:

The foot can be fixed to the floor by opening the signs marked on the base.

**ANTI-SLIP PAD**

Code: 171316

**SPINDLE TYPE**

 Preferred type, readily available (codes marked in red)

Code				Spindle		Material nut	D mm		M	L mm	L ₁ mm	L ₂ mm				
Standard Assembled	Anti-slip Assembled	Base	Spindle	Type	Material											
17810	17812	82184	82274	1C	FE.ZN	FE.ZN	47	24	12	112	115	65	12000			
17331	17333		82275							162	165	115				
17468	17472		82312							207	210	160				
17469	17473		82313							112	115	65				
17470	17474		82314						14	162	165	115				
17471	17475		82315							207	210	160				
17529	17457		82276							112	115	65				
17521	17459		82277						16	162	165	115				
17364	17368		82278							207	210	160				
17846	17855		82280							162	165	115				
17853	17857		82281			•			20	207	210	160				
17809	17859		82283							164	167	110				
17380	17388		82284			54	30	24	207	210	153					
17811	17813	82184	82262	1C	INOX	INOX	47	24	12	112	115	65	12000			
17332	17334		82263							162	165	115				
17476	17477		82316							207	210	160				
17478	17481		82317							112	115	65				
17479	17482		82318						14	162	165	115				
17480	17483		82319							207	210	160				
17528	17456		82264							112	115	65				
17520	17458		82265						16	162	165	115				
17363	17367		82266							207	210	160				
17845	17854		82268							162	165	115				
17847	17856		82269			•			20	207	210	160				
17530	17858		82271							164	165	110				
17379	17387		82272			54	30	24	207	210	153					
17058	17060	82184	82193	3C	PA.FE	INOX	47	24	16	109	112	62	4000			
17059	17061		82193			FE.ZN				109	112	62				
17673	17674		82454			•	57	30	20	131	134	74				
17373	17376		82247							184	187	127				
171206	171214	821128	83977	2B	FE.ZN	FE.ZN	38	20	16	98	101	60	15000			
171207	171215		83978							153	156	115				
171208	171216		83979							183	186	145				
171209	171217		83980							233	236	195				
171210	171218		83981						20	123	126	85				
171211	171219		83982							153	156	115				
171212	171220		83983							183	186	145				
171213	171221		83984							233	236	195				
171222	171230	821128	83969	2B	INOX	INOX	38	20	16	98	101	60	15000			
171223	171231		83970							153	156	115				
171224	171232		83971							183	186	145				
171225	171233		83972							233	236	195				
171226	171234		83973						20	123	126	85				
171227	171235		83974							153	156	115				
171228	171236		83975							183	186	145				
171229	171237		83976							233	236	195				
17062	17064	82184	83022	11C	OT.NI	INOX	45	20	16	102	105	57	12000			
17063	17065		83023							160	163	115				
17484	17485		83024							190	193	145				
17383	17384		83003						20	160	163	115				
17385	17386		83025	12C		•				190	193	145				
17841	17842		83026			22		160		163	115					
17843	17844		83027			24		190	193	145						
17752	17753		83252					102	105	57						
17754	17755	82184	83253	2C	FE.ZN	FE.ZN	45	24	16	160	163	115	18000			
17756	17757		83254							190	193	145				
17366	17370		83368							240	243	195				
17758	17759		83255							130	133	85				
17677	17681		83161			•			20	160	163	115				
17678	17682		83162							190	193	145				
17375	17378		82282							240	243	195				
17760	17761		83256							130	133	85				
17762	17763		83257						24	160	163	115				
17764	17765		83258							190	193	145				
17382	17390		83370							240	243	195				
17710	17711	82184	83244	2C	INOX	INOX	45	24	16	102	105	57	18000			
17712	17713		83245							160	163	115				
17717	17718		83246							190	193	145				
17365	17369		83365							240	243	195				
17719	17720		83247			•			20	130	133	85				
17675	17679		83159							160	163	115				
17676	17680		83160							190	193	145				
17374	17377		83366							240	243	195				
17721	17747		83249						24	130	133	85				
17748	17749		83250							160	163	115				
17750	17751		83251							190	193	145				
17381	17389		83367							240	243	195				

**SOLID
BASE**
SPINDLE MATERIAL

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated
 ● Without Nut

code standard: Without Rubber


TECHNICAL INFORMATION
Solid base series



The solid base is created through new technology which will help equipment builders meet the requirements of the USDA and other government agencies, related to the prevention of contamination of food products and the growth of bacteria.

Material:

Base in reinforced polyamide.
 Threaded spindle as in the table.

ANTI-SLIP PAD


Code: 171319


SPINDLE TYPE


 Preferred type, readily available (codes marked in red)

* This product was modified recently. A version with hexagonal spindle is still available on request for adequate quantities.

Code			Spindle		D mm		M	L mm	L ₂ mm			
Assembled	Base	Spindle	Type	Material								
175189	82819	83175	7	FE.ZN	42	24	20	157	115	32000		
175190		83173						177	135			
175191*		83182*	8*			19	24	167	125			
175192*		83183*						227	185			
175193*		83177*				24	30	167	125			
175194*		83176*						227	185			
175195	82819	83174	7	INOX	42	24	20	157	115	32000		
175196		83172						177	135			
175197*		83180*	8*			19	24	167	125			
175198*		83181*						227	185			
175199*		83179*				24	30	167	125			
175200*		83178*						227	185			





SPINDLE MATERIAL

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated
OT.NI Nickel Plated Brass
PA.FE Polyamide with Steel Insert
 ● Without Nut

code standard: Without Rubber

code anti-slip: With Rubber


TECHNICAL INFORMATION

Material:

Base in reinforced polyamide.
 Threaded spindle as in the table.
 Anti-slip version with oil resistant rubber, 70 shore hardness.

Characteristics:

The foot can be fixed to the floor by opening the signs marked on the base.




ANTI-SLIP PAD

Code: 171318



SPINDLE TYPE



 Preferred type, readily available (codes marked in red)

Code				Spindle		Material nut	D mm		M	L mm	L ₁ mm	L ₂ mm							
Standard Assembled	Anti-slip Assembled	Base	Spindle	Type	Material														
17050	17054	82185	82276	1C	FE.ZN	•	60	24	16	125	130	65	18000						
17392	17399		82277							175	180	115							
17395	17200		82278							220	225	160							
17452	17861		82280							175	180	115							
17455	17863		82281				67	30	24	220	225	160							
17210	17216		82283							177	182	110							
17212	17218		82284							220	225	153							
17051	17055	82185	82264	1C	INOX	•	60	24	16	125	130	65	18000						
17391	17398		82265							175	180	115							
17393	17400		82266							220	225	160							
17451	17860		82268							175	180	115							
17454	17862		82269				67	30	24	220	225	160							
17209	17215		82271							177	182	110							
17211	17217		82272							220	225	153							
170209	170210	82185	82193	3C	PA.FE	•	60	24	16	122	127	62	4000						
17506	17511		82454				70	30	20	144	149	74							
17203	17206		82247							197	202	127							
171270	171278	821130	83977	2B	FE.ZN	•	56	20	16	116	121	60	25000						
171271	171279		83978							171	176	115							
171272	171280		83979							201	206	145							
171273	171281		83980							251	256	195							
171274	171282		83981						20	141	146	85							
171275	171283		83982							171	176	115							
171276	171284		83983							201	206	145							
171277	171285	821130	83984	2B	INOX	•	56	20	16	251	256	195	25000						
171286	171294		83969							116	121	60							
171287	171295		83970							171	176	115							
171288	171296		83971							201	206	145							
171289	171297		83972							251	256	195							
171290	171298		83973						20	141	146	85							
171291	171299		83974							171	176	115							
171292	171300	83975	201	206	145														
171293	171301	83976	251	256	195														
17052	17056	82185	83022	11C	OT.NI	•	61	20	16	118	123	57	20000						
17053	17057		83023							176	181	115							
17486	17487		83024	12C						20	206	211		145					
17070	17071		83003								176	181		115					
17072	17073		83025						24	206	211	145							
17078	17079		83026	2C						FE.ZN	•	61		24		176	181	115	25000
17080	17081		83027													206	211	145	
17696	17697	83252	16		118	123	57												
17698	17699	83253			176	181	115												
17700	17701	83254			206	211	145												
17397	17202	83368			256	261	195												
17702	17703	83255	20		146	151	85												
17509	17526	83161			176	181	115												
17510	17527	83162			206	211	145												
17205	17208	82282			256	261	195												
17704	17705	83256	24		146	151	85												
17706	17707	83257			176	181	115												
17708	17709	83258			206	211	145												
17214	17220	83370			256	261	195												
17042	17043	82185	83244	2C	INOX	•	61	24	16	118	123	57	25000						
17044	17045		83245							176	181	115							
17046	17047		83246							206	211	145							
17396	17201		83365							256	261	195							
17048	17049		83247						20	146	151	85							
17507	17512		83159							176	181	115							
17508	17513		83160							206	211	145							
17204	17207		83366							256	261	195							
17394	17453		83249						24	146	151	85							
17693	17694		83250							176	181	115							
17850	17695		83251							206	211	145							
17213	17219		83367							256	261	195							



SPINDLE MATERIAL

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated
 ● Without Nut

code standard: Without Rubber

code anti-slip: With Rubber


TECHNICAL INFORMATION

Material:

Base in reinforced polyamide.
 Threaded spindle as in the table.
 Anti-slip version with oil resistant rubber, 70 shore hardness.

Characteristics:

The foot can be fixed to the floor by opening the signs marked on the base.




ANTI-SLIP PAD



Code: 171318

SPINDLE TYPE



Preferred type, readily available (codes marked in red)

* This product was modified recently. A version with hexagonal spindle is still available on request for adequate quantities.

Code				Spindle		Material nut	D mm		M	L mm	L ₁ mm	L ₂ mm	
Standard Assembled	Anti-slip Assembled	Base	Spindle	Type	Material								
17018	17024	82186	83175	7	FE.ZN	●	68	24	20	183	188	115	30000
17019	17025		83173							203	208	135	
17020*	17026*		83182*	8*				19	24	193	198	125	
17021*	17027*		83183*							253	258	185	
17022*	17028*		83177*					24	30	193	198	125	
17023*	17029*		83176*							253	258	185	
17030	17036	82186	83174	7	INOX	●	68	24	20	183	188	115	30000
17031	17037		83172							203	208	135	
17032*	17038*		83180*	8*				19	24	193	198	125	
17033*	17039*		83181*							253	258	185	
17034*	17040*		83179*					24	30	193	198	125	
17035*	17041*		83178*							253	258	185	



SPINDLE MATERIAL

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated
 ● Without Nut

code standard: Without Rubber

code anti-slip: With Rubber


TECHNICAL INFORMATION

Material:

Base in reinforced polyamide.
 Threaded spindle as in the table.
 Anti-slip version with oil resistant rubber, 70 shore hardness.

Characteristics:

The foot can be fixed to the floor by opening the signs marked on the base.




ANTI-SLIP PAD



Code: 171318

SPINDLE TYPE



Preferred type, readily available (codes marked in red)

* This product was modified recently. A version with hexagonal spindle is still available on request for adequate quantities.

Code				Spindle		Material nut	D mm		M	L mm	L ₁ mm	L ₂ mm	
Standard Assembled	Anti-slip Assembled	Base	Spindle	Type	Material								
170435	170439	82375	83175	7	FE.ZN	●	67	24	20	182	187	115	30000
170436	170440		83173							202	207	135	
170437*	170441*		83182*	8*				19	24	192	197	125	
170438*	170442*		83183*							252	257	185	
17880*	17884*		83177*					24	30	192	197	125	
17881*	17885*		83176*							252	257	185	
170443	170447	82375	83174	7	INOX	●	67	24	20	182	187	115	30000
170444	170448		83172							202	207	135	
170445*	170449*		83180*	8*				19	24	192	197	125	
170446*	170450*		83181*							252	257	185	
17882*	17886*		83179*					24	30	192	197	125	
17883*	17887*		83178*							252	257	185	


**SPINDLE MATERIAL**

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated
OT.NI Nickel Plated Brass
PA.FE Polyamide with Steel Insert
 ● Without Nut


code standard: Without Rubber
code anti-slip: With Rubber

TECHNICAL INFORMATION**Material:**

Base in reinforced polyamide.
 Threaded spindle as in the table.
 Anti-slip version with oil resistant rubber, 70 shore hardness.


**ANTI-SLIP PAD**

Code: 171317

SPINDLE TYPE

 Preferred type, readily available (codes marked in red)

Code				Spindle		Material nut	D mm		M	L mm	L ₁ mm	L ₂ mm						
Standard Assembled	Anti-slip Assembled	Base	Spindle	Type	Material													
170081	170092	82706	82274	1C	FE.ZN	•	40	24	12	105	108	65	12000					
170082	170093		82275							155	158	115						
170083	170094		82312							200	203	160						
170084	170095		82313						14	105	108	65						
170085	170096		82314							155	158	115						
170086	170097		82315							200	203	160						
170087	170098		82276						16	105	108	65						
170088	170099		82277							155	158	115						
170089	170100		82278							200	203	160						
170090	170101		82280						20	155	158	115						
170091	170102		82281							200	203	160						
170427	170429		82283				47	30	24	157	160	110						
170428	170430		82284							200	203	153						
170103	170114	82706	82262	1C	INOX	•	40	24	12	105	108	65	12000					
170104	170115		82263							155	158	115						
170105	170116		82316							200	203	160						
170106	170117		82317						14	105	108	65						
170107	170118		82318							155	158	115						
170108	170119		82319							200	203	160						
170109	170120		82264						16	105	108	65						
170110	170121		82265							155	158	115						
170111	170122		82266							200	203	160						
170112	170123		82268						20	155	158	115						
170113	170124		82269							200	203	160						
170431	170433		82271				47	30	24	157	160	110						
170432	170434		82272							200	203	153						
170125	170128	82706	82193	3C	PA.FE	•	40	24	16	102	105	62	4000					
170127	170130		82454				50	30	20	124	127	74						
170126	170129		82247							177	180	127						
171238	171246	821129	83977	2B	FE.ZN	•	37	20	16	97	100	60	20000					
171239	171247		83978							152	155	115						
171240	171248		83979							182	185	145						
171241	171249		83980							232	235	195						
171242	171250		83981						20	122	125	85						
171243	171251		83982							152	155	115						
171244	171252		83983							182	185	145						
171245	171253		83984							232	235	195						
171254	171262	821129	83969	2B	INOX	•	37	20	16	97	100	60	20000					
171255	171263		83970							152	155	115						
171256	171264		83971							182	185	145						
171257	171265		83972							232	235	195						
171258	171266		83973						20	122	125	85						
171259	171267		83974							152	155	115						
171260	171268		83975							182	185	145						
171261	171269		83976							232	235	195						
170387	170394	82706	83022	11C	OT.NI	•	41	20	16	98	101	57	15000					
170388	170395		83023							156	159	115						
170389	170396		83024							186	189	145						
170390	170397		83003						20	156	159	115						
170391	170398		83025	12C						186	189	145						
170392	170399		83026							156	159	115						
170393	170400		83027	22				186		189	145							
170131	170143		83252					126		129	85							
170132	170144	82706	83253	2C	FE.ZN	•	41	24	16	156	159	115	20000					
170133	170145		83254							186	189	145						
170134	170146		83368							236	239	195						
170135	170147		83255						20	126	129	85						
170136	170148		83161							156	159	115						
170137	170149		83162							186	189	145						
170138	170150		82282							236	239	195						
170139	170151		83256						24	126	129	85						
170140	170152		83257							156	159	115						
170141	170153		83258							186	189	145						
170142	170154		83370							236	239	195						
170155	170167	82706	83244	2C	INOX	•	41	24	16	98	101	57	20000					
170156	170168		83245							156	159	115						
170157	170169		83246							186	189	145						
170158	170170		83365							236	239	195						
170159	170171		83247						20	126	129	85						
170160	170172		83159							156	159	115						
170161	170173		83160							186	189	145						
170162	170174		83366							236	239	195						
170163	170175		83249						24	126	129	85						
170164	170176		83250							156	159	115						
170165	170177		83251							186	189	145						
170166	170178		83367							236	239	195						



SPINDLE MATERIAL

INOX Stainless Steel Aisi 304

FE.ZN Zinc Plated

OT.NI Nickel Plated Brass

● Without Nut

code standard: Without Rubber

code anti-slip: With Rubber



ANTI-SLIP PAD



Code:

171312 for foot D.80
 171314 for foot D.100
 171320 for foot D.150
 171321 for foot D.180
 171322 for foot D.200

SPINDLE TYPE



TECHNICAL INFORMATION


Material:

Base in reinforced polyamide.
 Threaded spindle as in the table.
 Anti-slip version with oil resistant rubber, 70 shore hardness.

Code				Ø mm	H mm	Spindle		D mm		M	L mm	L ₁ mm	L ₂ mm					
Standard Assembled	Anti-slip Assembled	Spindle	Base			Material	Type											
170688	170692	83624	17014	80	21	FE.ZN	7	38	20	16	153	157	115	16000				
170689	170693	83625									173	177	135					
170001	170009	83175					8*		24	20	153	157	115					
170002	170010	83173									173	177	135					
170003*	170011*	83182*				INOX	7		19	24	163	167	125	16000				
170004*	170012*	83183*									223	227	185					
170690	170694	83626					8*		20	16	153	157	115					
170691	170695	83627									223	227	185					
170005	170013	83174					7		24	20	153	157	115					
170006	170014	83172									173	177	135					
170007*	170015*	83180*	17015	100	23	FE.ZN	7	40	20	16	155	159	115	18000				
170008*	170016*	83181*									175	179	135					
170696	170700	83624					8*		24	20	155	159	115					
170697	170701	83625									175	179	135					
170021	170033	83175				INOX	7		19	24	165	169	125	18000				
170022	170034	83173									225	229	185					
170023*	170035*	83182*					8*		24	30	165	169	125					
170024*	170036*	83183*									225	229	185					
170025*	170037*	83177*					7		24	16	165	159	115					
170026*	170038*	83176*									175	179	135					
170698	170702	83626	17016T for code standard	150	28	FE.ZN	8*	48	20	16	165	159	115	30000				
170699	170703	83627									175	179	135					
170027	170039	83174					INOX		7	24	20	165	159		115			
170028	170040	83172										175	179		135			
170029*	170041*	83180*				8*			19	24	165	169	125					
170030*	170042*	83181*									225	229	185					
170031*	170043*	83179*				FE.ZN			8*	24	30	165	169	125	30000			
170032*	170044*	83178*										225	229	185				
17952*	17960*	83182*				17016L for code anti-slip	150		28	INOX	8*	48	19	24	173	179	125	30000
17953*	17961*	83183*													233	239	185	
17954*	17962*	83177*	INOX	8*	24			30		173	179		125					
17955*	17963*	83176*								233	239		185					
17956*	17964*	83180*	17017T for code standard	180	35	FE.ZN	8*	55	19	24	173	179	125	30000				
17957*	17965*	83181*									233	239	185					
17958*	17966*	83179*					INOX		8*	24	30	173	179		125			
17959*	17967*	83178*										233	239		185			
17968*	17976*	83182*				8*			24	30	180	189	125					
17969*	17977*	83183*									240	249	185					
17970*	17978*	83177*				INOX			8*	24	30	180	189	125				
17971*	17979*	83176*										240	249	185				
17972*	17980*	83180*					INOX		8*	19	24	180	189	125				
17973*	17981*	83181*										240	249	185				
17974*	17982*	83179*	8*	24	30			180	189	125								
17975*	17983*	83178*						240	249	185								
17984*	17992*	83182*	17013T for code standard	200	40	FE.ZN	8*	60	19	24	185	196	125	50000				
17985*	17993*	83183*									245	246	185					
17986*	17994*	83177*					INOX		8*	24	30	185	196		125			
17987*	17995*	83176*										245	246		185			
17988*	17996*	83180*				8*			19	24	185	196	125					
17989*	17997*	83181*									245	246	185					
17990*	17998*	83179*				8*			24	30	185	196	125					
17991*	17999*	83178*									245	246	185					



SPINDLE TYPE




SPINDLE MATERIAL

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated
 ● Without Nut


TECHNICAL INFORMATION

Material:
 Base in high density polyethylene
 Threaded spindle as in the table.




Preferred type, readily available (codes marked in red)


Code Standard	Spindle		M	L mm	
	Type	Material			
170045	9	FE.ZN	8	55	5000
170046				75	
170047			10	55	
170048				75	
170049	9	INOX	8	55	5000
170050				75	
170051			10	55	
170052				75	



Code Standard	Spindle		M	L mm	
	Type	Material			
170053	9	FE.ZN	8	55	7000
170054				75	
170055			10	55	
170056				75	
170057	9	INOX	12	55	7000
170058				75	
170059			8	55	
170060				75	
170061			10	55	
170062				75	
170063			12	55	
170064				75	



Code Standard	Spindle		M	L mm	
	Type	Material			
170065	9	FE.ZN	8	55	9000
170066				75	
170067			10	55	
170068				75	
170069	9	INOX	12	55	9000
170070				75	
170071			8	55	
170072				75	
170073			10	55	
170074				75	
170075			12	55	
170076				75	

**SPINDLE MATERIAL****INOX** Stainless Steel Aisi 304**FE.ZN** Zinc Plated

● Without Nut

code standard: Without Rubber**code anti-slip:** With Rubber**TECHNICAL INFORMATION****Material:**

Base in reinforced polyamide.
Threaded spindle as in the table.
Anti-slip version with oil resistant rubber, 70 shore hardness.

Characteristics:

The foot can be fixed to the floor.

SPINDLE TYPEType
6A**ANTI-SLIP PAD****Code:** 171319

Preferred type, readily available (codes marked in red)

Code				Spindle		Material nut	D mm		M	L mm	L ₁ mm	L ₂ mm	
Standard Assembled	Anti-slip Assembled	Base	Spindle	Type	Material								
170640	170664	82951	83752	6A	FE.ZN	●	44	22	16	141	145	97	25000
170641	170665		83726							191	195	147	
170642	170666		83727							241	245	197	
170643	170667		83728						18	141	145	97	
170644	170668		83688							191	195	147	
170645	170669		83689							241	245	197	
170646	170670		83690						20	141	145	97	
170647	170671		83691							191	195	147	
170648	170672		83692							241	245	197	
170649	170673		83693					24	24	141	145	97	
170650	170674		83694							191	195	147	
170651	170675		83695							241	245	197	
170652	170676	82951	83696	6A	INOX	●	44	22	16	141	145	97	25000
170653	170677		83697							191	195	147	
170654	170678		83698							241	245	197	
170655	170679		83699						18	141	145	97	
170656	170680		83700							191	195	147	
170657	170681		83701							241	245	197	
170658	170682		83702						20	141	145	97	
170659	170683		83703							191	195	147	
170660	170684		83704							241	245	197	
170661	170685		83705					24	24	141	145	97	
170662	170686		83706							191	195	147	
170663	170687		83707							241	245	197	

**SOLID
BASE**

SPINDLE MATERIAL

INOX Stainless Steel Aisi 304

FE.ZN Zinc Plated

● Without Nut

code standard: Without Rubber

TECHNICAL INFORMATION

Solid base series


The solid base is created through new technology which will help equipment builders meet the requirements of the USDA and other government agencies, related to the prevention of contamination of food products and the growth of bacteria.

Material:


Base in reinforced polyamide.
Threaded spindle as in the table.

Characteristics:

The foot can be fixed to the floor.




SPINDLE TYPE



Preferred type, readily available (codes marked in red)

Code			Spindle		D mm		M	L mm	L ₂ mm	
Assembled	Base	Spindle	Type	Material						
175201	82820	83559	13	FE.ZN	41	22	20	138	97	55000
175202		83560						188	147	
175203		83561						238	197	
175204		83565						138	97	
175205		83566				24	24	188	147	
175206		83567						238	197	
175207		83571				30	30	138	97	
175208		83572						188	147	
175209	82820	83573	13	INOX	41	22	20	238	197	55000
175210		83562						138	97	
175211		83563						188	147	
175212		83564						238	197	
175213		83568				24	24	138	97	
175214		83569						188	147	
175215		83570				30	30	238	197	
175216		83574						138	97	
175217		83575						188	147	
175218		83576						238	197	

**SPINDLE MATERIAL**

INOX Stainless Steel Aisi 304

FE.ZN Zinc Plated

● Without Nut

code standard: Without Rubber

code anti-slip: With Rubber

TECHNICAL INFORMATION**Material:**


Base in reinforced polyamide.

Threaded spindle as in the table.

Anti-slip version with oil resistant rubber, 70 shore hardness.

Characteristics:


The foot can be fixed to the floor.

SPINDLE TYPEType
6B**ANTI-SLIP PAD**

Code: 171318

Preferred type, readily available (codes marked in red)

Code				Spindle		Material nut	D mm		M	L mm	L ₁ mm	L ₂ mm	
Standard Assembled	Anti-slip Assembled	Base	Spindle	Type	Material								
170451	170454	82186	83614	6B	FE.ZN	●	58	22	16	155	159	97	30000
170452	170455		83428							205	209	147	
170453	170456		83615							255	259	197	
170505	170508		83677						18	155	159	97	
170506	170509		83678							205	209	147	
170507	170510		83679							255	259	197	
17871	17224		82338						20	155	159	97	
17865	17226		82339F							205	209	147	
17222	17228		82340							255	259	197	
17230	17236		82341					24	24	155	159	97	
17232	17238		82342							205	209	147	
17234	17240		82343							255	259	197	
17242	17248		82344					30	30	155	159	97	
17244	17250		82345							205	209	147	
17246	17252		82346							255	259	197	
170457	170460	82186	83612	6B	INOX	●	58	22	16	155	159	97	30000
170458	170461		83516							205	209	147	
170459	170462		83613							255	259	197	
170511	170514		83674						18	155	159	97	
170512	170515		83675							205	209	147	
170513	170516		83676							255	259	197	
17870	17223		82329						20	155	159	97	
17864	17225		82330							205	209	147	
17221	17227		82331							255	259	197	
17229	17235		82332					24	24	155	159	97	
17231	17237		82333							205	209	147	
17233	17239		82334							255	259	197	
17241	17247		82335					30	30	155	159	97	
17243	17249		82336							205	209	147	
17245	17251		82337							255	259	197	



SPINDLE MATERIAL

INOX Stainless Steel Aisi 304

FE.ZN Zinc Plated

● Without Nut

code standard: Without Rubber

code anti-slip: With Rubber

TECHNICAL INFORMATION

Material:

Base in reinforced polyamide.

Threaded spindle as in the table.


Anti-slip version with oil resistant rubber, 70 shore hardness.

Characteristics:

The foot can be fixed to the floor.

SPINDLE TYPE

Type
6B




ANTI-SLIP PAD

Code: 171318



Preferred type, readily available (codes marked in red)

Code				Spindle		Material	D		M	L mm	L ₁ mm	L ₂ mm	
Standard Assembled	Anti-slip Assembled	Base	Spindle	Type	Material	nut	mm						
170463	170466	82375	83614	6B	FE.ZN	●	57	22	16	155	155	97	35000
170464	170467		83428							205	205	147	
170465	170468		83615							255	255	197	
170517	170520		83677						18	155	155	97	
170518	170521		83678							205	205	147	
170519	170522		83679							255	255	197	
17600	17933		82338					20		155	155	97	
17601	17934		82339F							205	205	147	
17602	17935		82340							255	255	197	
17603	17936		82341					24	24	155	155	97	
17604	17938		82342							205	205	147	
17605	17939		82343							255	255	197	
17606	17940		82344					30	30	155	155	97	
17607	17941		82345							205	205	147	
17608	17942		82346							255	255	197	
170469	170472	82375	83612	6B	INOX	●	57	22	16	155	155	97	35000
170470	170473		83516							205	205	147	
170471	170474		83613							255	255	197	
170523	170526		83674						18	155	155	97	
170524	170527		83675							205	205	147	
170525	170528		83676							255	255	197	
17609	17943		82329					20		155	155	97	
17610	17944		82330							205	205	147	
17611	17945		82331							255	255	197	
17612	17946		82332					24	24	155	155	97	
17613	17947		82333							205	205	147	
17614	17948		82334							255	255	197	
17615	17949		82335					30	30	155	155	97	
17616	17950		82336							205	205	147	
17617	17951		82337							255	255	197	



MATERIAL

INOX Stainless Steel Aisi 304

FE.ZN Zinc Plated

FE.VN Painted Steel

● Without Nut

code standard: With Rubber

TECHNICAL INFORMATION

Material:

Base and spindle as in the table.

Screws in steel.

Anti-slip rubber oil resistant

70 shore hardness.

Colour of the painted version:

Yellow.

ANTI-SLIP PAD




Code:

171312 for foot **D.80**

171314 for foot **D.100**

171316 for foot **D.120**


SPINDLE TYPE



Preferred type, readily available (codes marked in red)

* This product was modified recently. A version with hexagonal spindle is still available on request for adequate quantities.

Code			Spindle		Base material	Ø mm	H mm	D mm		M	L ₁ mm	L ₂ mm												
Standard Assembled	Spindle	Base	Material	Type																				
170580	83624	83377	FE.ZN	7	FE.VN	80	24	39	20	16	154	115	50000											
170581	83625										174	135												
170220	83175										154	115												
170242	83173			174					135															
170221	83182			164					125															
170243*	83183*			224					185															
170222*	83177*	8*													164	125								
170244*	83176*														224	185								
170582*	83626*														154	115								
170583	83627	83386	INOX	7					INOX					20	16	174	135							
170229	83174															154	115							
170251	83172															174	135							
170230*	83180*			8*																	164	125		
170252*	83181*																				224	185		
170231*	83179*																				164	125		
170253*	83178	224	185																					
170584	83624	83378	FE.ZN	7	FE.VN	100	24	39					20	16	154	115	50000							
170585	83625														174	135								
170223	83175														154	115								
170245	83173			8*																	174	135		
170224*	83182*																				164	125		
170246*	83183*																				224	185		
170225*	83177*	83387	INOX	8*																		50000		
170247*	83176*																						164	125
170586	83626																						224	185
170587	83627			7												154		115						
170232	83174															174		135						
170254	83172															154		115						
170233*	83180*	8*																50000						
170255*	83181*																		164	125				
170234*	83179*																		224	185				
170256*	83178*	164	125																					
170588	83624	83379	FE.ZN	7	FE.VN	120	28	43	20	16	158	115	50000											
170589	83625										178	135												
170226	83175										158	115												
170248	83173			178					135															
170227*	83182*			8*													168	125						
170249*	83183*																228	185						
170228*	83177*	168	125																					
170250*	83176*	83388	INOX	8*														50000						
170590	83626																		228	185				
170591	83627																		158	115				
170235	83174			7													178		135					
170257	83172																158		115					
170236*	83180*																168		125					
170258*	83181*	8*																50000						
170237*	83179*																		228	185				
170259*	83178*																		168	125				
		228	185																					



MATERIAL

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated
FE.VN Painted Steel
 ● Without Nut

code standard: With Rubber

TECHNICAL INFORMATION

- **Material:**
Base and spindle as in the table.
Screws in steel.
Anti-slip rubber oil resistant
70 shore hardness.
- **Colour of the painted version:**
Yellow.
- **Characteristics:**
The foot can be fixed to the floor.


ANTI-SLIP PAD



Code:


171312 for foot **D.80**
171314 for foot **D.100**
171316 for foot **D.120**

SPINDLE TYPE



Preferred type, readily available (codes marked in red)

Code			Spindle		Base material	Ø mm	ØI mm	Ød mm	H mm	D mm		M	L ₁ mm	L ₂ mm							
Standard Assembled	Spindle	Base	Material	Type																	
170530	83624	83785	FE.ZN	7	FE.VN	80	54	9	22	37	20	16	152	115	50000						
170531	83625												172	135							
170532	83175										24	20	152	115							
170533	83173			172									135								
170534*	83182*			162									125								
170535*	83183*			19							24	222	185								
170536*	83177*	162	125																		
170537*	83176*	222	185																		
170538	83626	83681	INOX	7	INOX						100	73.5	12	24		39	20	16	152	115	50000
170539	83627																		172	135	
170540	83174																24	20	152	115	
170541	83172			172															135		
170542*	83180*			162		125															
170543*	83181*			19		24	222	185													
170544*	83179*	162	125																		
170545*	83178*	222	185																		
170546	83624	83786	FE.ZN	7	FE.VN	100	73.5	12	24	39					20		16	154	115	50000	
170547	83625																	174	135		
170548	83175														24		20	154	115		
170549	83173			174														135			
170550*	83182*			164							125										
170551*	83183*			19							24	224	185								
170552*	83177*	164	125																		
170553*	83176*	224	185																		
170554	83626	83688	INOX	7	INOX						100	73.5	12	24	39	20	16	154	115		50000
170555	83627																	174	135		
170556	83174															24	20	154	115		
170557	83172			174														135			
170558*	83180*			164		125															
170559*	83181*			19		24	224	185													
170560*	83179*	164	125																		
170561*	83178*	224	185																		
170562	83624	83787	FE.ZN	7	FE.VN	120	84	14	24	39						20	16	154	115	50000	
170563	83625																	174	135		
170564	83175															24	20	154	115		
170565	83173			174														135			
170566*	83182*			164							125										
170567*	83183*			19							24	224	185								
170568*	83177*	164	125																		
170569*	83176*	224	185																		
170570	83626	83669	INOX	7	INOX						120	84	14	24	39	20	16	154	115		50000
170571	83627																	174	135		
170572	83174															24	20	154	115		
170573	83172			174														135			
170574*	83180*			164		125															
170575*	83181*			19		24	224	185													
170576*	83179*	164	125																		
170577*	83178*	224	185																		



MATERIAL

INOX Stainless Steel Aisi 304

FE.ZN Zinc Plated

● Without Nut

code standard: With Rubber



ANTI-SLIP PAD



Code:

171323 for foot **D.80**
 171324 for foot **D.100**
 171325 for foot **D.125**

SPINDLE TYPE




TECHNICAL INFORMATION

Material:

Base and spindle as in the table.
Screws in steel.Anti-slip rubber oil resistant
70 shore hardness.

Preferred type, readily available (codes marked in red)

Code			Spindle		Base material	Ø mm	D mm		M	L ₁ mm	L ₂ mm						
Standard Assembled	Spindle	Base	Material	Type													
170480	83624	83628	FE.ZN	7	FE.ZN	80	32	20	16	147	115	18000					
170481	83625									167	135						
170482	83175									147	115						
170483	83173			8*				24	20	147	115						
170484*	83182*									167	135						
170485*	83183*									157	125						
170486*	83177*	83577	INOX	7				19	24	217	185						
170487*	83176*									157	125						
170475	83626							24	30	217	185						
170476	83627			8*						157	125						
170401	83174									147	115						
170402	83172			20				16	167	135							
170403*	83180*								7						147	115	
170404*	83181*														167	135	
170405*	83179*			24				20	157	125							
170406*	83178*								217	185							
170488	83624	83629	FE.ZN	7	FE.ZN	100	32	20	16	147	115	22000					
170489	83625									167	135						
170490	83175									147	115						
170491	83173			8*				19	24	167	135						
170492*	83182*									157	125						
170493*	83183*									217	185						
170494*	83177*	83578	INOX	7				24	30	157	125						
170495*	83176*									217	185						
170504	83626			8*				20	16	147	115						
170477	83627									167	135						
170407	83174							24	20	147	115						
170408	83172			7						167	135						
170409*	83180*			19				24	157	125							
170410*	83181*								217	185							
170411*	83179*			8*				24	30	157	125						
170412*	83178*									217	185						
170496	83624	83630	FE.ZN	7	FE.ZN	125	32	20	16	147	115	26000					
170497	83625									167	135						
170498	83175									147	115						
170499	83173			8*				24	20	167	135						
170500*	83182*									157	125						
170501*	83183*							19	24	217	185						
170502*	83177*	83579	INOX	7						157	125						
170503*	83176*			24				30	217	185							
170478	83626								157	125							
170479	83627			8*				20	16	147	115						
170413	83174									167	135						
170414	83172							24	20	147	115						
170415*	83180*			7						167	135						
170416*	83181*			19				24	157	125							
170417*	83179*								217	185							
170418*	83178*			24				30	157	125							
					217	185											



MATERIAL

INOX Stainless Steel Aisi 304
FE.ZN Zinc Plated
 ● Without Nut

code standard: With Rubber


ANTI-SLIP PAD



Code:

171323 for foot **D.80**
171324 for foot **D.100**
171325 for foot **D.125**

SPINDLE TYPE



TECHNICAL INFORMATION

Material:


Base and spindle as in the table.
 Screws in steel.
 Anti-slip rubber oil resistant
 70 shore hardness.

Characteristics:

The foot can be fixed to the floor.

Preferred type, readily available (codes marked in red)

Code			Spindle		Base material	Ø mm	ØI mm	D mm		M	L mm	L ₂ mm			
Standard Assembled	Spindle	Base	Material	Type											
170592	83624	83711	FE.ZN	7	FE.ZN	80	50	32	20	16	147	115	18000		
170593	83625										167	135			
170594	83175										24	20		147	115
170595	83173													167	135
170596*	83182*			19					24	157				125	
170597*	83183*									217				185	
170598*	83177*									24	30	157		125	
170599*	83176*											217		185	
170600	83626	83708	INOX	7	20	16	147	115							
170601	83627						167	135							
170602	83174						24	20	147	115					
170603	83172								167	135					
170604*	83180*			19	24	157			125						
170605*	83181*					217			185						
170606*	83179*					24	30	157	125						
170607*	83178*							217	185						
170608	83624	83712	FE.ZN	7	100			70	32	20	16	147	115	22000	
170609	83625											167	135		
170610	83175					24	20					147	115		
170611	83173											167	135		
170612*	83182*			19						24	157	125			
170613*	83183*										217	185			
170614*	83177*					24	30				157	125			
170615*	83176*										217	185			
170616	83626	83709	INOX	7	20			16	147	115					
170617	83627								167	135					
170618	83174					24	20		147	115					
170619	83172								167	135					
170620*	83180*			19	24			157	125						
170621*	83181*							217	185						
170622*	83179*					24	30	157	125						
170623*	83178*							217	185						
170624	83624	83713	FE.ZN	7	125			85	32	20	16	147	115		26000
170625	83625											167	135		
170626	83175					24	20					147	115		
170627	83173											167	135		
170628*	83182*			19						24	157	125			
170629*	83183*										217	185			
170630*	83177*					24	30				157	125			
170631*	83176*										217	185			
170632	83626	83710	INOX	7	20			16	147	115					
170633	83627								167	135					
170634	83174					24	20		147	115					
170635	83172								167	135					
170636*	83180*			19	24			157	125						
170637*	83181*							217	185						
170638*	83179*					24	30	157	125						
170639*	83178*							217	185						

**MATERIAL**


INOX	Stainless Steel Aisi 304
FE.ZN	Zinc Plated
FE.VN	Painted Steel
●	Without Nut

code standard: With Rubber

TECHNICAL INFORMATION**Material:**

Base and spindle as in the table.
Screws in steel.
Anti-slip rubber oil resistant
70 shore hardness.


Colour of the painted version:
Yellow.

**ANTI-SLIP PAD****Code:**


171312	for foot	D.80
171314	for foot	D.100
171316	for foot	D.120

 Preferred type, readily available (codes marked in red)


Code Standard	Ø mm	H mm	Spindle material	Base material	1 	2 	M	L ₁ mm	
170211	80	24	FE.ZN	FE.VN	10	24	16	146	50000
170212	100								
170213	120								
170206	80	24	INOX	INOX	10	24	16	146	50000
170207	100								
170208	120								



Code Standard	Ø mm	H mm	Base material
170214	80	24	FE.VN
170215	100		
170216	120		
170217	80	28	INOX
170218	100		
170219	120		



Code	Spindle material	1	2	M	L mm	N
170240	FE.ZN	10	24	16	140	50000
170241	INOX					



Code Standard	Ø mm	H mm	Spindle material	Base material	1	2	M	L ₁ mm	N
171302	80	24	FE.ZN	FE.VN	10	24	16	146	50000
171303	100								
171304	120								
171305	80	28	INOX	INOX	10	24	16	146	50000
171306	100								
171307	120								

ANTI-SLIP PAD

Code:
171312 for foot **D.80**
171314 for foot **D.100**
171316 for foot **D.120**

Preferred type, readily available
(codes marked in red)

TECHNICAL INFORMATION
Material:
INOX Stainless Steel Aisi 304

FE.ZN Zinc Plated

Anti-slip rubber, oil resistant
70 shore hardness.

Colour of the painted version:

Yellow.

Preferred type, readily available
(codes marked in red)

SPINDLE MATERIAL
INOX Stainless Steel Aisi 304

FE.ZN Zinc Plated

● Without Nut

code standard: With Rubber

Preferred type, readily available
(codes marked in red)

TECHNICAL INFORMATION
Material:
INOX Stainless Steel Aisi 304


FE.ZN Zinc Plated

FE.VN Painted Steel

Screws in steel.
Anti-slip rubber oil resistant
70 shore hardness.

Colour of the painted version:

Yellow.



THREADED TUBE ENDS & LOOSE FOOTPLATES

THREADED TUBE ENDS FOR ROUND TUBES




TECHNICAL INFORMATION

Material:

Polyamide; threaded bush in nickel plated brass.

max. static load						
Ø mm.	30	38	42	48	50	60
N	3000	5000	6000	6000	6500	8000



 Preferred type, readily available (codes marked in red)



Code	M	B mm	C mm	L mm	S mm.	round tube		
						external diameter mm.	internal diameter mm.	thickness mm.
14799	10	30	28.4	35	29	30	28	1
14800	12							
14801	14							
14773	10	38	35.5	46.5	38	38	35	1.5
14752	12							
14774	14							
14764	16	42	39.5	45.5	38	42.4	39.4	1.5
14775	10							
14763	12							
14776	14	48	45.8	55	45	48.3	45.3	1.5
14750	16							
14765	20							
14766	12	50	48.4	49	38	50.9	47.9	1.5
14777	14							
14767	16							
14751	20	60	58	50	38	60.3	57.3	1.5
14754	12							
14778	14							
14755	16	60	57	50	38	60.3	56.3	2.0
14768	20							
14791	16							
14792	20	60	56	50	38	60.3	55.3	2.5
14793	16							
14794	20							
14802	16	60	56	50	38	60.3	55.3	2.5
14803	20							
14804	24							

THREADED TUBE ENDS FOR SQUARE TUBES



TECHNICAL INFORMATION


Material:
Polyamide; threaded bush in nickel plated brass.



max. static load							
∅ mm.	25	30	35	38	40	50	60
N	5000	5500	5500	6000	6000	10000	12000

Preferred type, readily available (codes marked in red)


Code	M	B mm	C mm	L mm	S mm.	square tube		
						external diameter mm.	internal diameter mm.	thickness mm.
14824	8	25	22.5	30	25	25	22	1.5
14822	10							
14823	12							
14779	10	30	27.5	33	27	30	27	1.5
14780	12							
14781	14							
14782	16							
14810	10	30	26.5	33	27	30	26	2
14811	12							
14812	14							
14813	16							
14805	10	35	32.5	43	35	35	32	1.5
14806	12							
14807	14							
14808	16							
14809	20	35	31.5	43	35	35	31	2
14825	10							
14826	12							
14827	14							
14828	16							
14829	20	38	35.4	43	35	38.1	34.9	1.6
14783	10							
14756	12							
14784	14							
14757	16							
14785	20	38	32.6	43	35	38.1	32.1	3
14786	10							
14758	12							
14759	14							
14787	16							
14788	20	40	37.5	55	45	40	37	1.5
14790	10							
14769	12							
14770	14							
14771	16							
14772	20	40	36.5	55	45	40	36	2
14600	10							
14601	12							
14602	14							
14603	16							
14604	20	50	47.5	55	44	50	47	1.5
14605	12							
14606	14							
14607	16							
14608	20							
14609	12	50	46.5	55	44	50	46	2
14610	14							
14611	16							
14612	20							
14795	12	50	46.5	55	44	50	45	2.5
14796	14							
14797	16							
14798	20							
14830	14	60	56.5	55	45	60	46	2
14831	16							
14832	20							



Code	Ø mm	H mm	d mm	α	
17014	80	21	11	90°	16000
17015	100	23	11	90°	18000
17016	150	28	11	90°	28000
17017	180	35	11	120°	30000
17013	200	40	8.5	120°	40000

TECHNICAL INFORMATION

Material:
Polyamide reinforced.



TECHNICAL INFORMATION

Material:
Polyamide reinforced.

code	
17872	30000



**CHEMICAL
RESISTANCE**

CHEMICAL RESISTANCE

	POLYAMIDE			POLYPROPYLENE			ACETAL RESIN			POLYETHYLENE			BRASS			RUBBER						STAINLESS STEEL		
CHEMICAL AGENT	PA			PP			POM			PE			OT.NI.			NBR			VITON			AISI 304		
	Note	C %	23° C	Note	C %	23° C	Note	C %	23° C	Note	C %	23° C	Note	C %	23° C	Note	C %	23° C	Note	C %	23° C	Note	C %	23° C
Acetic acid	S	10	★		40	●		5	★		10	●			○			★		20	★		20	●
Acetone		100	●			●			○			●			●			★			★		25	●
Acrylonitrile		100	●			●												★			★			
Aluminium chloride	S	10	●			○										S		●	S	SA	●			○
Aluminium sulphate	S	10	●			●						●				S		●	S	SA	●			
Amyl alcohol		100	●			●						●									●			●
Ammonia		10	●		30	●	S		●			●			★	S		○	S		○		100	●
Ammonium chloride	S	10	●	S	10	●										S		●	S	SA	●			○
Aniline		100	○			●					3	●						★			●			●
Barium chloride	S	10	●			●										S		●	S		●			○
Beer			●			●			●			●			●			●			●			●
Benzene						●			●			○											70	○
Benzic acid	S	SA	○		SA	●										S		●	S		●		100	●
Benzol		100	●			○			●			○			●			★			○			●
Boric acid	S	10	●		SA	●					SA	●				S		●	S	SA	●		SA	●
Brine			○			○						●												○
Butter			●			●			●			●			●			●			●			●
Butyl acetate		100	●			○															★			
Butyl alcohol		100	●			●												○			●			●
Butyl glycole		100	●			●																		
Calcium chloride	S	10	●	S	50	●					SA	●			●	S		●	S	SA	●			○
Carbon sulphide		100	●			●			●									★			●			●
Carbon tetrachloride			●			★			●						●			★			●		10	●
Chlorine water						★			★			★												★
Chloroform		100	★			○			★			★			●			★			●			●
Chromic acid	S	1	○													S		★		50	●		10	●
Citric acid	S	10	○		10	●			○			●			★	S		●	S	SA	●		25	●
Cyclohexane		100	●			●												●			●			
Cyclohexanol		100	●			●												●			●			
Decalin			●			○												○			★			
Dioxane			●			○												★						
Distilled water			●			●			●			●			●						★			●
Ethyl acetate		100	●			●												★			●			○
Ethyl alcohol		96	●		96	●			●									○			○		10	●
Ethyl chloride		100	●			★						○			○			○			★			●
Ethyl ether		100	●			●															●			
Ferric chloride	S	10	●			●										S		●	S	SA	●			○
Food fats			●						●			●						●			●			●
Food oils			●			●			●			●						●			●			●
Formaldehyde	S	30	●	S	40	●			●			○			●		40	○		40	★		100	●
Formic acid	S	10	★					10	★		10	★			●			★			○			★
Freon 12	L		●															●			●			●
Fresh water			●			●			●			●						●			●			●
Fruit juice			●			●			●			●						●			●			○
Gasoline			●			○						○			○			○			●			●
Glycerine			●			●			●			●			●			●			●			●
Hydrochloric acid	S	10	★	S	30	●		35	★		35	●			○	S	10	○		37	●			★
Hydrofluoric acid	S	40	★		40	●					70	●					65	★		48	●			★
Hydrogen peroxide	S	3	★													S	80	★		90	●			●
Isopropyl alcohol			●			●															●			●
Lactic acid	S	10	●	S	20	●			●			●			★	S		●			●			○
Linseed oil			●			●			●			●						●						●

CHEMICAL RESISTANCE

	POLYAMIDE			POLYPROPYLENE			ACETAL RESIN			POLYETHYLENE			BRASS			RUBBER			STAINLESS STEEL		
CHEMICAL AGENT	PA			PP			POM			PE			OT.NI.			NBR			VITON		
	C	Note	% 23° C	C	Note	% 23° C	C	Note	% 23° C	C	Note	% 23° C	C	Note	% 23° C	C	Note	% 23° C	C	Note	% 23° C
Magnesium chloride	S		10	●	S	SA	●									S		●	S	SA	●
Methyl acetate			100	●			●										★		★		○
Methyl alcohol			100	●					●						●		○		○		80
Methylene chloride			100	●			○		★			○					★		○		○
Milk				●			●		●			●			●		●		●		●
Mineral oil				●			●		●			●			●		●		●		●
Nitric acid			10	★	S		●		5	●		5	○			S	10	★		70	●
Nitrobenzene			100	○			●										★		○		
Oleic acid			100	●			●					○			●		○		○		●
Oxalic acid	S		10	○	S	50	●									S		○	S		65
Paraffin									●			●									
Petroleum				●			●		●			★			●		●		●		●
Petroleum ether				●			●		●						●		★		●		●
Phenol	S			★			●										★		●		●
Phosphoric acid	S		10	★		85	●		10	★		95	●		★	S	20	○		85	●
Potassium bichromate	S		5	○	S	10	●									S		○	S	SA	●
Potassium bromide	S		10	●		SA	●									S		●	S		●
Potassium hydroxide	S		10	●		50	●		25	★		25	●			S		○	S		50
Potassium permanganate			1	★	S		●									S		★	S		●
Sea water				●			●		○			●			●		●		●		●
Silicone oil				●			●										●		●		●
Silver nitrate				●	S	20	●									S		○	S		○
Sodium carbonate			10	●	S	SA	●		●			●				S		●	S		100
Sodium chloride	S		10	●	S	SA	●		●			●			●	S		●	S	SA	○
Sodium hydroxide	S		10	●												S		○			●
Sodium hypochlorite	S			●	S	20	●		★			●				S		★		5	●
Sodium silicate				●												S		●		●	100
Sodium sulphate	S		10	●												S		●	S		100
Soft drinks				●			●		●			●					●		●		●
Suds	S			●			●		●			●				S		●		●	●
Sulphuric acid	S		10	★		98	●		40	★		40	○		●	S		★		95	●
Tartaric acid				●	S	10	●		30	○					●	★	S		●		50
Tetrahydrofuran				●			○											★		★	
Tetralin				●			★											★		●	★
Tincture of iodine				★			●					●			★			★		●	○
Toluol				●			●											★		○	
Transformer oil				●			○											●		●	
Trichloroethylene				○			○											★		●	★
Triethanolamin				●			●											★		★	
Turpentine									★			★									●
Vaseline				●								○						●		●	
Vegetable juice				●			●		●			●						●		●	●
Vegetable oils				●			●		●			●						●		●	●
Vinegar				●			●		●			●			●			○		★	●
Water and soap				●			●		●			●						●		●	●
Whisky				●			●								●			●		●	●
Wine				●			●		●			●			●			●		●	●
Xylol				●			★		●			○			○			★		●	●

Data shown in the table was taken from laboratory tests performed on unstrained samples and are merely indicative. Chemical resistance under normal working conditions can depend on various factors, such as stress and temperature, concentration of the chemical agent and duration of its effects.

ABBREVIATION

C = concentration L = liquid
SA = saturated S = solution

● = Good resistance.
○ = Fairly good resistance depending on use conditions
★ = Insufficient resistance (not recommended).
Blank spaces = No tests performed

SELECT YOUR FOOT

CALL OUR ENGINEERING EXPERTS

To order the products you have selected, or to get expert advice in choosing the right ones for your application, call our Engineering Department or fax your specifications.


We will be pleased to quote on pads manufactured to your special requirements, this page can be used when extensive modifications or a special design are required.

COMPANY NAME: _____

ADDRESS: _____ CITY: _____ STATE/PROVINCE: _____ POSTAL CODE: _____


CONTACT: _____ POSITION: _____ PHONE: _____ FAX: _____

SPINDLES





Type	NO.
<i>DIMENSIONS</i>	
Usable thread	L2 _____
Height overall	L _____
Thread diameter	M _____
Socket Box Wrench	SW. _____
<i>MATERIALS</i>	
Zinc Plated Steel	☐
Stainless Steel	☐
Zinc Plated Steel + Polyamide ball	☐
Stainless Steel + Polyamide ball	☐
Polyamide + Steel insert	☐
Nickel Plated Steel	☐
Other _____	☐

PADS



TYPE	No.
<i>DIMENSIONS</i>	
Diameter	D. _____
Height	H. _____
<i>MATERIALS</i>	
Reinforced Polyamide	☐ Zinc Plated Steel ☐
Reinforced Polypropylene	☐ Painted Steel ☐
Stainless Steel AISI 304	☐ Other ☐
WITH FIXING HOLES	
YES ☐ NO ☐	
Holes Diameter	Ø. _____
Distance Between Holes	I. _____
WITH ANTIVIBRATION RUBBER	
YES ☐ NO ☐	

SPECIFICATIONS



LOAD:
Maximum Static Load Newton N. _____

QUANTITY REQUIRED NO. _____

Per Order ☐ Per Year ☐

INQUIRY DATE: _____

REQUESTED DELIVERY: _____

ADDITIONAL REQUIREMENTS: _____

INDEX

INDEX

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
14600	69	17011	23	17111	21	17229	58	17322	28	17427	35	17520	45
14601	69	17012	23	17112	21	17230	58	17323	28	17428	35	17521	45
14602	69	17013	70	17114	21	17231	58	17324	28	17429	35	17522	23
14603	69	17014	70	17115	21	17232	58	17325	28	17430	35	17523	23
14604	69	17015	70	17116	20	17233	58	17326	28	17431	35	17524	23
14605	69	17016	70	17117	20	17234	58	17327	28	17432	35	17525	23
14606	69	17017	70	17119	20	17235	58	17328	28	17433	35	17526	49
14607	69	17018	50	17120	20	17236	58	17329	28	17434	35	17527	49
14608	69	17019	50	17124	20	17237	58	17330	28	17435	35	17528	45
14609	69	17020	50	17125	20	17238	58	17331	45	17436	35	17529	45
14610	69	17021	50	17126	20	17239	58	17332	45	17437	35	17530	45
14611	69	17022	50	17127	20	17240	58	17333	45	17438	35	17531	28
14612	69	17023	50	17128	20	17241	58	17334	45	17439	35	17532	28
14750	68	17024	50	17129	20	17242	58	17335	35	17440	35	17533	30
14751	68	17025	50	17130	20	17243	58	17336	35	17441	35	17533C	30
14752	68	17026	50	17131	20	17244	58	17337	35	17442	35	17534	30
14754	68	17027	50	17132	20	17245	58	17338	35	17443	35	17534C	30
14755	68	17028	50	17133	20	17246	58	17339	35	17444	35	17535	30
14756	69	17029	50	17134	20	17247	58	17340	35	17445	35	17535C	30
14757	69	17030	50	17135	20	17248	58	17341	35	17446	35	17536	30
14758	69	17031	50	17136	20	17249	58	17342	35	17447	23	17536C	30
14759	69	17032	50	17137	20	17250	58	17343	35	17448	23	17537	30
14763	68	17033	50	17138	20	17251	58	17344	35	17449	23	17537C	30
14764	68	17034	50	17139	20	17252	58	17345	35	17450	23	17538	30
14765	68	17035	50	17140	20	17253	35	17346	35	17451	49	17538C	30
14766	68	17036	50	17141	20	17254	35	17347	35	17452	49	17539	30
14767	68	17037	50	17142	20	17255	35	17348	35	17453	49	17539C	30
14768	68	17038	50	17143	20	17256	35	17349	35	17454	49	17540	30
14769	69	17039	50	17144	20	17257	28	17350	35	17455	49	17540C	30
14770	69	17040	50	17145	20	17258	28	17351	35	17456	45	17541	30
14771	69	17041	50	17146	20	17259	28	17352	35	17457	45	17541C	30
14772	69	17042	49	17147	20	17260	28	17353	35	17458	45	17542	30
14773	68	17043	49	17148	20	17261	23	17354	35	17459	45	17542C	30
14774	68	17044	49	17149	20	17262	23	17355	35	17460	35	17543	30
14775	68	17045	49	17162	21	17263	23	17356	35	17461	35	17543C	30
14776	68	17046	49	17163	21	17264	23	17357	35	17462	35	17544	30
14777	68	17047	49	17164	21	17265	23	17358	35	17463	35	17544C	30
14778	68	17048	49	17165	21	17266	23	17359	35	17464	35	17545	30
14779	69	17049	49	17166	21	17267	23	17360	35	17465	35	17545C	30
14780	69	17050	49	17167	21	17268	23	17361	35	17466	35	17546	30
14781	69	17051	49	17168	21	17269	28	17362	35	17467	35	17546C	30
14782	69	17052	49	17169	21	17270	23	17363	45	17468	45	17547	30
14783	69	17053	49	17170	21	17271	23	17364	45	17469	45	17547C	30
14784	69	17054	49	17171	21	17272	23	17365	45	17470	45	17548	30
14785	69	17055	49	17172	21	17273	23	17366	45	17471	45	17548C	30
14786	69	17056	49	17173	21	17274	23	17367	45	17472	45	17549	30
14787	69	17057	49	17174	21	17275	23	17368	45	17473	45	17549C	30
14788	69	17058	45	17175	21	17276	23	17369	45	17474	45	17550	30
14790	69	17059	45	17176	21	17277	23	17370	45	17475	45	17550C	30
14791	68	17060	45	17177	21	17278	23	17371	23	17476	45	17551	30
14792	68	17061	45	17186	23	17279	23	17372	23	17477	45	17551C	30
14793	68	17062	45	17187	23	17280	23	17373	45	17478	45	17552	30
14794	68	17063	45	17188	23	17281	23	17374	45	17479	45	17552C	30
14795	69	17064	45	17189	23	17282	23	17375	45	17480	45	17553	30
14796	69	17065	45	17190	23	17283	23	17376	45	17481	45	17553C	30
14797	69	17066	35	17191	23	17284	23	17377	45	17482	45	17554	30
14798	69	17067	35	17192	23	17285	23	17378	45	17483	45	17554C	30
14799	68	17068	35	17193	23	17286	23	17379	45	17484	45	17555	30
14800	68	17069	35	17194	23	17287	23	17380	45	17485	45	17555C	30
14801	68	17070	49	17195	23	17288	23	17381	45	17486	49	17556	30
14802	68	17071	49	17196	23	17289	23	17382	45	17487	49	17556C	30
14803	68	17072	49	17197	23	17290	23	17383	45	17488	23	17557	30
14804	68	17073	49	17198	23	17291	23	17384	45	17489	23	17557C	30
14805	69	17074	35	17199	23	17292	28	17385	45	17490	23	17558	30
14806	69	17075	35	17200	49	17293	28	17386	45	17491	23	17558C	30
14807	69	17076	35	17201	49	17294	28	17387	45	17492	23	17559	30
14808	69	17077	35	17202	49	17295	28	17388	45	17493	23	17559C	30
14809	69	17078	49	17203	49	17296	28	17389	45	17494	23	17560	30
14810	69	17079	49	17204	49	17297	28	17390	45	17495	23	17560C	30
14811	69	17080	49	17205	49	17298	28	17391	49	17496	35	17561	30
14812	69	17081	49	17206	49	17299	28	17392	49	17497	35	17561C	30
14813	69	17082	20	17207	49	17300	23	17393	49	17498	35	17562	30
14822	69	17083	20	17208	49	17301	23	17394	49	17499	35	17562C	30
14823	69	17085	20	17209	49	17302	23	17395	49	17500	35	17563	30
14824	69	17086	20	17210	49	17303	23	17396	49	17501	35	17563C	30
14825	69	17088	21	17211	49	17304	23	17397	49	17502	35	17564	30
14826	69	17089	21	17212	49	17305	23	17398	49				

INDEX

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
17573	39	17628C	39	17677	45	17760	35	17825	35	17912C	30
17573C	39	17629	39	17678	45	17761	35	17826	35	17913	30
17574	39	17629C	39	17679	45	17762	45	17827	35	17913C	30
17574C	39	17630	39	17680	45	17763	45	17828	35	17914	30
17575	39	17630C	39	17681	45	17764	45	17829	35	17914C	30
17575C	39	17631	39	17682	45	17765	45	17830	35	17915	30
17576	39	17631C	39	17683	39	17766	23	17831	35	17915C	30
17576C	39	17632	39	17683C	39	17767	23	17832	35	17916	23
17577	39	17632C	39	17684	39	17768	23	17833	35	17917	21
17577C	39	17633	39	17684C	39	17769	23	17834	35	17918	21
17578	39	17633C	39	17685	39	17770	23	17835	35	17919	21
17578C	39	17634	39	17685C	39	17771	23	17836	35	17920	21
17579	39	17634C	39	17686	39	17772	23	17837	35	17921	21
17579C	39	17635	39	17686C	39	17773	23	17838	35	17922	21
17580	39	17635C	39	17687	39	17774	23	17839	35	17923	21
17580C	39	17636	39	17687C	39	17775	23	17840	35	17924	21
17581	39	17636C	39	17688	39	17776	23	17841	45	17925	20
17581C	39	17637	39	17688C	39	17777	23	17842	45	17926	20
17582	39	17637C	39	17689	39	17778	23	17843	45	17927	20
17582C	39	17638	39	17689C	39	17779	23	17844	45	17928	20
17583	39	17638C	39	17690	39	17780	23	17845	45	17929	20
17583C	39	17639	39	17690C	39	17781	23	17846	45	17930	20
17584	39	17639C	39	17691	39	17782	39	17847	45	17931	20
17584C	39	17640	39	17691C	39	17782C	39	17848	45	17932	20
17585	39	17640C	39	17692	39	17783	39	17849	35	17933	59
17585C	39	17641	39	17692C	39	17783C	39	17850	49	17934	59
17586	39	17641C	39	17693	49	17784	39	17851	23	17935	59
17586C	39	17642	39	17694	49	17784C	39	17852	23	17936	59
17587	39	17642C	39	17695	49	17785	39	17853	45	17937	23
17587C	39	17643	39	17696	49	17785C	39	17854	45	17938	59
17588	39	17643C	39	17697	49	17786	39	17855	45	17939	59
17588C	39	17644	39	17698	49	17786C	39	17856	45	17940	59
17589	39	17644C	39	17699	49	17787	39	17857	45	17941	59
17589C	39	17645	39	17700	49	17787C	39	17858	45	17942	59
17590	39	17645C	39	17701	49	17788	39	17859	45	17943	59
17590C	39	17646	39	17702	49	17788C	39	17860	49	17944	59
17591	39	17646C	39	17703	49	17789	39	17861	49	17945	59
17591C	39	17647	39	17704	49	17789C	39	17862	49	17946	59
17592	39	17647C	39	17705	49	17790	39	17863	49	17947	59
17592C	39	17648	39	17706	49	17790C	39	17864	58	17948	59
17593	39	17648C	39	17707	49	17791	39	17865	58	17949	59
17593C	39	17649	39	17708	49	17791C	39	17866	23	17950	59
17594	39	17649C	39	17709	49	17792	39	17867	23	17951	59
17594C	39	17650	39	17710	45	17792C	39	17868	23	17952	54
17595	39	17650C	39	17711	45	17793	39	17869	23	17953	54
17595C	39	17651	39	17712	45	17793C	39	17870	58	17954	54
17596	39	17651C	39	17713	45	17794	39	17871	58	17955	54
17596C	39	17652	39	17714	23	17794C	39	17872	70	17956	54
17597	39	17652C	39	17715	23	17795	39	17873	23	17957	54
17597C	39	17653	39	17716	23	17795C	39	17874	23	17958	54
17598	39	17653C	39	17717	45	17796	39	17875	23	17959	54
17598C	39	17654	39	17718	45	17796C	39	17876	23	17960	54
17599	39	17654C	39	17719	45	17797	39	17877	23	17961	54
17599C	39	17655	39	17720	45	17797C	39	17878	23	17962	54
17600	59	17655C	39	17721	45	17798	39	17879	23	17963	54
17601	59	17656	39	17722	23	17798C	39	17880	51	17964	54
17602	59	17656C	39	17723	20	17799	39	17881	51	17965	54
17603	59	17657	39	17724	20	17799C	39	17882	51	17966	54
17604	59	17657C	39	17725	20	17800	39	17883	51	17967	54
17605	59	17658	39	17726	20	17800C	39	17884	51	17968	54
17606	59	17658C	39	17727	20	17801	39	17885	51	17969	54
17607	59	17659	39	17728	20	17801C	39	17886	51	17970	54
17608	59	17659C	39	17729	20	17802	39	17887	51	17971	54
17609	59	17660	39	17730	20	17802C	39	17888	23	17972	54
17610	59	17660C	39	17731	20	17803	39	17889	23	17973	54
17611	59	17661	39	17732	20	17803C	39	17890	23	17974	54
17612	59	17661C	39	17733	20	17804	39	17890C	23	17975	54
17613	59	17662	39	17734	20	17804C	39	17891	23	17976	54
17614	59	17662C	39	17735	21	17805	39	17892	23	17977	54
17615	59	17663	39	17736	21	17805C	39	17893	23	17978	54
17616	59	17663C	39	17737	21	17806	39	17894	28	17979	54
17617	59	17664	39	17738	21	17806C	39	17895	28	17980	54
17618	39	17664C	39	17739	21	17807	39	17896	28	17981	54
17618C	39	17665	39	17740	21	17807C	39	17897	28	17982	54
17619	39	17665C	39	17741	21	17808	39	17898	28	17983	54
17619C	39	17666	39	17742	21	17808C	39	17899	23	17984	54
17620	39	17666C	39	17743	21	17809	45	17900	28	17985	54
17620C	39	17667	39	17744	21	17810	45	17901	28	17986	54
17621	39	17667C	39	17745	21	17811	45	17902	28	17987	54
17621C	39	17668	39	17746	21	17812	45	17903	28	17988	54
17622	39	17668C	39	17747	45	17813	45	17904	28	17989	54
17622C	39	17669	39	17748	45	17814	39	17905	28	17990	54
17623	39	17669C	39	17749	45	17814C	39	17906	28	17991	54
17623C	39	17670	39	17750	45	17815	35	17907	28	17992	54
17624	39	17670C	39	17751	45	17816	35	17908	30	17993	54
17624C	39	17671	39	17752	45	17817	35	17908C	30	17994	54
17625	39	17671C	39	17753	45	17818	35	17909	30	17995	54
17625C	39	17672	39	17754	45	17819	35	17909C	30	17996	54
17626	39	17672C	39	17755							

INDEX

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
170092	53	170182	30	170265	33	170359	33	170457	58	170551	61	170646	56
170093	53	170182C	30	170266	33	170360	33	170458	58	170552	61	170647	56
170094	53	170183	30	170267	33	170364	33	170459	58	170553	61	170648	56
170095	53	170183C	30	170268	33	170365	33	170460	58	170554	61	170649	56
170096	53	170184	30	170269	33	170366	33	170461	58	170555	61	170650	56
170097	53	170184C	30	170270	33	170367	33	170462	58	170556	61	170651	56
170098	53	170185	30	170271	33	170368	33	170463	59	170557	61	170652	56
170099	53	170185C	30	170272	33	170369	33	170464	59	170558	61	170653	56
170100	53	170186	30	170273	33	170370	33	170465	59	170559	61	170654	56
170101	53	170186C	30	170274	33	170374	33	170466	59	170560	61	170655	56
170102	53	170187	30	170275	33	170375	33	170467	59	170561	61	170656	56
170103	53	170187C	30	170276	33	170376	33	170468	59	170562	61	170657	56
170104	53	170188	30	170277	33	170377	33	170469	59	170563	61	170658	56
170105	53	170188C	30	170278	33	170378	33	170470	59	170564	61	170659	56
170106	53	170189	30	170279	33	170379	33	170471	59	170565	61	170660	56
170107	53	170189C	30	170280	33	170380	33	170472	59	170566	61	170661	56
170108	53	170190	30	170281	33	170381	33	170473	59	170567	61	170662	56
170109	53	170190C	30	170282	33	170382	33	170474	59	170568	61	170663	56
170110	53	170191	30	170283	33	170383	33	170475	62	170569	61	170664	56
170111	53	170191C	30	170285	33	170384	33	170476	62	170570	61	170665	56
170112	53	170192	28	170286	33	170385	33	170477	62	170571	61	170666	56
170113	53	170193	28	170287	33	170386	33	170478	62	170572	61	170667	56
170114	53	170194	28	170288	33	170387	33	170479	62	170573	61	170668	56
170115	53	170195	28	170289	33	170388	53	170480	62	170574	61	170669	56
170116	53	170196	28	170290	33	170389	53	170481	62	170575	61	170670	56
170117	53	170197	28	170291	33	170390	53	170482	62	170576	61	170671	56
170118	53	170198	28	170292	33	170391	53	170483	62	170577	61	170672	56
170119	53	170199	28	170293	33	170392	53	170484	62	170580	60	170673	56
170120	53	170200	28	170294	33	170393	53	170485	62	170581	60	170674	56
170121	53	170201	28	170295	33	170394	53	170486	62	170582	60	170675	56
170122	53	170202	28	170296	33	170395	53	170487	62	170583	60	170676	56
170123	53	170203	28	170297	33	170396	53	170488	62	170584	60	170677	56
170124	53	170204	30	170298	33	170397	53	170489	62	170585	60	170678	56
170125	53	170204C	30	170299	33	170398	53	170490	62	170586	60	170679	56
170126	53	170205	30	170300	33	170399	53	170491	62	170587	60	170680	56
170127	53	170205C	30	170301	33	170400	53	170492	62	170588	60	170681	56
170128	53	170206	64	170302	33	170401	62	170493	62	170589	60	170682	56
170129	53	170207	64	170303	33	170402	62	170494	62	170590	60	170683	56
170130	53	170208	64	170304	33	170403	62	170495	62	170591	60	170684	56
170131	53	170209	49	170305	33	170404	62	170496	62	170592	63	170685	56
170132	53	170210	49	170306	33	170405	62	170497	62	170593	63	170686	56
170133	53	170211	64	170307	33	170406	62	170498	62	170594	63	170687	56
170134	53	170212	64	170308	33	170407	62	170499	62	170595	63	170688	54
170135	53	170213	64	170309	33	170408	62	170500	62	170596	63	170689	54
170136	53	170214	65	170310	33	170409	62	170501	62	170597	63	170690	54
170137	53	170215	65	170311	33	170410	62	170502	62	170598	63	170691	54
170138	53	170216	65	170312	33	170411	62	170503	62	170599	63	170692	54
170139	53	170217	65	170313	33	170412	62	170504	62	170600	63	170693	54
170140	53	170218	65	170314	33	170413	62	170505	58	170601	63	170694	54
170141	53	170219	65	170315	33	170414	62	170506	58	170602	63	170695	54
170142	53	170220	60	170316	33	170415	62	170507	58	170603	63	170696	54
170143	53	170221	60	170317	33	170416	62	170508	58	170604	63	170697	54
170144	53	170222	60	170318	33	170417	62	170509	58	170605	63	170698	54
170145	53	170223	60	170319	33	170418	62	170510	58	170606	63	170699	54
170146	53	170224	60	170320	33	170419	20	170511	58	170607	63	170700	54
170147	53	170225	60	170321	33	170420	20	170512	58	170608	63	170701	54
170148	53	170226	60	170322	33	170421	20	170513	58	170609	63	170702	54
170149	53	170227	60	170323	33	170422	20	170514	58	170610	63	170703	54
170150	53	170228	60	170324	33	170423	21	170515	58	170611	63	170704	42
170151	53	170229	60	170325	33	170424	21	170516	58	170612	63	170705	42
170152	53	170230	60	170326	33	170425	21	170517	59	170613	63	170706	42
170153	53	170231	60	170327	33	170426	21	170518	59	170614	63	170707	42
170154	53	170232	60	170328	33	170427	53	170519	59	170615	63	170708	42
170155	53	170233	60	170329	33	170428	53	170520	59	170616	63	170709	42
170156	53	170234	60	170330	33	170429	53	170521	59	170617	63	170710	42
170157	53	170235	60	170331	33	170430	53	170522	59	170618	63	170711	42
170158	53	170236	60	170332	33	170431	53	170523	59	170619	63	170712	42
170159	53	170237	60	170333	33	170432	53	170524	59	170620	63	170713	42
170160	53	170240	65	170334	33	170433	53	170525	59	170621	63	170714	42
170161	53	170241	65	170335	33	170434	53	170526	59	170622	63	170715	42
170162	53	170242	60	170336	33	170435	51	170527	59	170623	63	170716	42
170163	53	170243	60	170337	33	170436	51	170528	59	170624	63	170717	42
170164	53	170244	60	170338	33	170437	51	170530	61	170625	63	170718	42
170165	53	170245	60	170339	33	170438	51						

INDEX

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
170740	27	170833	25	170926	26	171019	33	171115	39	171269	53
170741	27	170834	25	170927	26	171020	24	171116	39	171270	49
170742	27	170835	25	170928	26	171021	24	171117	39	171271	49
170743	27	170836	25	170929	26	171022	24	171118	39	171272	49
170744	27	170837	25	170930	27	171023	24	171119	39	171273	49
170745	27	170838	25	170931	27	171024	24	171120	39	171274	49
170746	27	170839	25	170932	27	171025	24	171121	39	171275	49
170747	27	170840	25	170933	27	171026	24	171122	39	171276	49
170748	27	170841	25	170934	27	171030	23	171123	39	171277	49
170749	27	170842	25	170935	27	171031	23	171124	39	171278	49
170750	27	170843	25	170936	27	171032	23	171125	39	171279	49
170751	27	170844	25	170937	27	171033	23	171126	39	171280	49
170752	27	170845	25	170938	27	171034	23	171127	39	171281	49
170753	27	170846	25	170939	27	171035	23	171128	39	171282	49
170754	27	170847	25	170940	27	171036	23	171129	39	171283	49
170755	27	170848	25	170941	27	171037	23	171130	39	171284	49
170756	27	170849	25	170942	27	171038	23	171131	39	171285	49
170757	27	170850	25	170943	27	171039	23	171132	39	171286	49
170758	27	170851	25	170944	27	171040	23	171133	39	171287	49
170759	27	170852	25	170945	27	171041	23	171134	39	171288	49
170760	27	170853	25	170946	27	171042	23	171135	39	171289	49
170761	27	170854	25	170947	27	171043	23	171136	39	171290	49
170762	27	170855	25	170948	27	171044	23	171137	39	171291	49
170763	27	170856	25	170949	27	171045	23	171138	39	171292	49
170764	27	170857	25	170950	27	171046	23	171139	39	171293	49
170765	27	170858	25	170951	27	171047	23	171140	39	171294	49
170766	27	170859	25	170952	27	171048	23	171141	39	171295	49
170767	27	170860	25	170953	27	171049	23	171142	39	171296	49
170768	25	170861	25	170954	27	171050	23	171143	35	171297	49
170769	25	170862	25	170955	27	171051	23	171144	35	171298	49
170770	25	170863	25	170956	27	171052	23	171145	35	171299	49
170771	25	170864	25	170957	27	171053	23	171146	35	171300	49
170772	25	170865	25	170958	27	171054	23	171147	35	171301	49
170773	25	170866	25	170959	24	171055	23	171148	35	171302	65
170774	25	170867	25	170960	24	171056	23	171149	35	171303	65
170775	25	170868	25	170961	24	171057	23	171150	35	171304	65
170776	25	170869	25	170962	24	171058	23	171151	35	171305	65
170777	25	170870	25	170963	24	171059	23	171152	35	171306	65
170778	25	170871	25	170964	24	171060	23	171153	35	171307	65
170779	25	170872	25	170965	24	171061	23	171154	35	171333	14-15
170780	25	170873	25	170966	24	171062	24	171155	35	171335	14-15
170781	25	170874	25	170967	24	171063	24	171156	35	171337	14-15
170782	25	170875	25	170968	24	171064	24	171157	35	171339	14-15-16-17
170783	25	170876	25	170969	24	171065	24	171158	35	171341	14-15-16-17
170784	25	170877	25	170970	24	171066	24	171159	35	171343	14-15-16-17
170785	25	170878	25	170971	24	171067	24	171160	35	171351	15-14
170786	25	170879	25	170972	24	171068	24	171161	35	171353	15-14
170787	25	170880	25	170973	24	171069	24	171162	35	171355	15-14
170788	25	170881	25	170974	24	171070	24	171163	35	171357	15-14
170789	25	170882	25	170975	24	171071	24	171164	35	171359	14-15-16-17
170790	25	170883	25	170976	24	171072	24	171165	35	171361	14-15-16-17
170791	25	170884	25	170977	24	171073	24	171166	35	171363	14-15-16-17
170792	25	170885	25	170978	24	171074	24	171167	35	171371	43
170793	25	170886	25	170979	24	171075	24	171168	35	171372	43
170794	25	170887	25	170980	24	171076	24	171169	35	171373	43
170795	25	170888	25	170981	24	171077	24	171170	35	171374	43
170796	25	170889	25	170982	24	171078	24	171171	35	171375	43
170797	25	170890	25	170983	24	171079	24	171172	35	171376	43
170798	25	170891	25	170984	24	171080	24	171173	35	171377	43
170799	25	170892	25	170985	24	171081	24	171174	39	171378	43
170800	25	170893	25	170986	24	171082	24	171174C	39	171379	43
170801	25	170894	25	170987	24	171083	24	171175	39	171380	43
170802	25	170895	25	170988	24	171084	24	171175C	39	171381	43
170803	25	170896	26	170989	24	171085	24	171176	39	171382	43
170804	25	170897	26	170990	24	171086	24	171176C	39	171383	43
170805	25	170898	26	170991	24	171087	24	171177	39	171384	43
170806	25	170899	26	170992	24	171088	24	171177C	39	171385	43
170807	25	170900	26	170993	24	171089	24	171178	39	171386	43
170808	25	170901	26	170994	24	171090	24	171178C	39	175001	29
170809	25	170902	26	170995	24	171091	24	171179	39	175002	29
170810	25	170903	26	170996	24	171092	24	171179C	39	175003	29
170811	25	170904	26	170997	24	171093	24	171180	39	175004	29
170812	25	170905	26	170998	24	171094	26	171180C	39	175005	29
170813	25	170906	26	170999	24	171095	26	171181	39	175006	29
170814	25	170907	26	171000	24	171096	26	171181C	39	175007	29
170815	25	170908	26	171001	24	171097	26	171182	39	175008	29
170816	25	170909	26	171002	24	171098	26	171182C	39	175009	29
170817	25	170910	26	171003	24	171099	26	171183	39	175010	29
170818	25	170911	26	171004	24	171100	26	171183C	39	175011	29
170819	25	170912	26	171005	24	171101	26	171184	39	175012	29
170820	25	170913	26	171006	24	171102	26	171184C	39	175013	29
170821	25	170914	26	171007	24	171103	26	171185	39	175014	29
170822	25	170915	26	171008	24	171104	26	171185C	39	175015	29
170823	25	170916	26	171009	24	171105	26	171186	39	175016	29
170824	25	170917	26	171010	24	171106	26	171186C	39	175017	29 </

INDEX

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
175026	29	175119	41	175212	57	176253	8	176558	12	177310	16
175027	29	175120	41	175213	57	176254	8	176559	12	177311	16
175028	29	175121	41	175214	57	176255	8	176560	12	177312	16
175029	29	175122	41	175215	57	176256	8	177000	14	177313	16
175030	29	175123	41	175216	57	176257	8	177001	14	177314	16
175031	29	175124	41	175217	57	176258	8	177002	14	177315	16
175032	29	175125	41	175218	57	176259	8	177003	14	177320	16
175033	29	175126	41	175219	11	176260	8	177004	14	177321	16
175034	29	175127	37	175220	11	176261	8	177005	14	177322	16
175035	31	175128	37	175221	11	176262	8	177006	14	177323	16
175036	31	175129	37	175222	11	176263	8	177007	14	177324	16
175037	31	175130	37	175223	11	176264	8	177008	14	177325	16
175038	31	175131	37	175224	11	176300	9	177009	14	177350	17
175039	31	175132	37	175225	11	176301	9	177010	14	177351	17
175040	31	175133	37	175226	11	176302	9	177011	14	177352	17
175041	31	175134	37	175227	11	176303	9	177012	14	177353	17
175042	31	175135	37	175228	11	176304	9	177013	14	177354	17
175043	31	175136	37	175229	11	176305	9	177050	14	177355	17
175044	31	175137	37	175230	11	176306	9	177051	14	177360	17
175045	31	175138	37	175231	11	176307	9	177052	14	177361	17
175046	31	175139	37	175232	11	176308	9	177053	14	177362	17
175047	31	175140	37	175233	11	176309	9	177054	14	177363	17
175048	31	175141	37	175234	11	176310	9	177055	14	177364	17
175049	31	175142	37	175235	11	176311	9	177056	14	177365	17
175050	31	175143	37	175236	11	176312	9	177057	14	17810	45
175051	31	175144	37	175237	11	176313	9	177058	14	17812	45
175052	31	175145	37	175238	11	176314	9	177059	14		
175053	31	175146	37	176000	6	176315	9	177060	14		
175054	31	175147	37	176001	6	176316	9	177061	14		
175055	31	175148	37	176002	6	176317	9	177062	14		
175056	31	175149	37	176003	6	176318	9	177063	14		
175057	31	175150	37	176004	6	176319	9	177100	14		
175058	31	175151	37	176005	6	176350	9	177101	14		
175059	31	175152	37	176006	6	176351	9	177102	14		
175060	31	175153	37	176007	6	176352	9	177103	14		
175061	31	175154	37	176008	6	176353	9	177104	14		
175062	31	175155	37	176009	6	176354	9	177105	14		
175063	31	175156	37	176010	6	176355	9	177106	14		
175064	31	175157	37	176011	6	176356	9	177107	14		
175065	31	175158	41	176050	6	176357	9	177108	14		
175066	31	175159	41	176051	6	176358	9	177109	14		
175067	31	175160	41	176052	6	176359	9	177110	14		
175068	31	175161	41	176053	6	176360	9	177111	14		
175069	37	175162	41	176054	6	176361	9	177112	14		
175070	37	175163	41	176055	6	176362	9	177113	14		
175071	37	175164	41	176056	6	176363	9	177150	14		
175072	37	175165	41	176057	6	176364	9	177151	14		
175073	37	175166	41	176058	6	176365	9	177152	14		
175074	37	175167	41	176059	6	176366	9	177153	14		
175075	37	175168	41	176060	6	176367	9	177154	14		
175076	37	175169	41	176061	6	176368	9	177155	14		
175077	37	175170	41	176100	7	176369	9	177156	14		
175078	37	175171	41	176101	7	176400	10	177157	14		
175079	37	175172	41	176102	7	176401	10	177158	14		
175080	37	175173	41	176103	7	176402	10	177159	14		
175081	37	175174	41	176104	7	176403	10	177160	14		
175082	37	175175	41	176105	7	176404	10	177161	14		
175083	37	175176	41	176106	7	176405	10	177162	14		
175084	37	175177	41	176107	7	176406	10	177163	14		
175085	37	175178	41	176108	7	176407	10	177200	15		
175086	37	175179	41	176109	7	176408	10	177201	15		
175087	37	175180	41	176110	7	176409	10	177202	15		
175088	37	175181	41	176111	7	176410	10	177203	15		
175089	37	175182	41	176150	7	176450	10	177204	15		
175090	37	175183	41	176151	7	176451	10	177205	15		
175091	37	175184	41	176152	7	176452	10	177206	15		
175092	37	175185	41	176153	7	176453	10	177207	15		
175093	37	175186	41	176154	7	176454	10	177208	15		
175094	37	175187	41	176155	7	176455	10	177209	15		
175095	37	175188	41	176156	7	176456	10	177210	15		
175096	37	175189	46	176157	7	176457	10	177211	15		
175097	37	175190	46	176158	7	176458	10	177212	15		
175098	41	175191	46	176159	7	176459	10	177213	15		
175099	41	175192	46	176160	7	176460	10	177250	15		
175100	41	175193	46	176161	7	176500	12	177251	15		
175101	41	175194	46	176200	8	176501	12	177252	15		
175102	41	175195	46	176201	8	176502	12	177253	15		
175103	41	175196	46	176202	8	176503	12	177254	15		
175104	41	175197	46	176203	8	176504	12	177255	15		
175105	41	175198	46	176204	8	176505	12	177256	15		
175106	41	175199	46	176205	8	176506	12	177257	15		
175107	41	175200	46	176206	8	176507	12	177258	15		
175108	41	175201	57	176207	8	176508	12	177259	15		
175109	41	175202	57	176208	8	176509	12	177260	15		
175110	41	175203	57	176209	8	176510	12	177261	15		
175111	41	175204	57	176210	8	176550	12	177262	15		
175112	41	175205	57	176211	8	176551	12	177263	15		
175113	41	175206	57	176212	8	176552	12	177300	16		
175114	41	175207	57	176213	8	176553	12	177301	16		
175115	41	175208	57	176214	8	176554	12	177302	16		
175116	41	175209	57	176250	8	176555	12	177303	16		
175117	41	175210	57	176251	8	176556	12	177304	16		
175118	41	175211	57	176252	8	176557	12	177305	16		